



CANADA
DEPARTMENT OF
MINES AND TECHNICAL SURVEYS
SURVEYS AND MAPPING BRANCH

REFERENCE

Roads:	
hard surface, all weather	more than 2 lanes 2 lanes
hard surface, all weather	less than 2 lanes 2 lanes
loose surface, all weather	2 lanes or more less than 2 lanes
loose surface, dry weather	
Cart Track	
Trail or Portage	
Railways:	
standard gauge, multiple track	
standard gauge, single track	
abandoned	
narrow gauge, single track	
cutting, embankment	
Bridges:	
road, railway	
Electric Power Line	
Telephone Line	
Horizontal Control Point	
Boundary Mon.	
Bench Mark	
Spot Elevation, (in feet)	
Building; Barn	
Elevator	
Church; Cemetery	
School; Post Office	
Built-up Area	
Mine or Open Cut	
Quarry	
Sand or Gravel Pit	
Dike	
Lake, intermittent or Slough	
Lake or Shoreline, indefinite	
Stream, intermittent or dry	
Stream, indefinite	
Irrigation Canal or Ditch	
Marsh or Swamp	
Inundated Land	
Falls; Rapids	
Foreshore Flats	
Bluff, Cliff or Escarpment	
Ferry	
Wharf or Pier	
Reef; Rock or Small Island	
Contours:	
elevation	
depression	
approximate	
Forest	

116°30'	115°00'
50°30'	50°30'
82 X/8	82 X/5
82 X/1	82 X/4
82 X/16	82 X/13
82 X/16	82 X/13
82 X/16	82 X/13
49°45'	49°45'
116°30'	115°00'

INDEX TO ADJOINING SHEETS

MAGNETIC DECLINATION 22°44' EAST.
AT CENTRE OF SHEET 1954.
Annual magnetic change 4' westerly.


CANAL FLATS
WEST OF FIFTH MERIDIAN
BRITISH COLUMBIA

82 1/4 WEST HALF
FIRST EDITION



SUPERSEDED
EDITION

Produced by the Surveys and Mapping Branch,
Department of Mines and Technical Surveys, 1954,
from air photographs taken in 1948.
Printed by the Army Survey Establishment, R.C.E.,
Department of National Defence, 1954.
Copies may be obtained from the Map Distribution
Office, Department of Mines and Technical Surveys,
Ottawa, at 25 cents per copy.



CONTOUR INTERVAL 100 FEET
North American Datum 1927
All Elevations in Feet above Mean Sea Level