

together almost quadrangular, their apices individually rounding and exposing two stout curved hooks.

Described from eight examples from San Francisco, California. Collected by the author.

*Paropulopa arborea*, n. sp.—Resembling *Mexicana* in form and colour. Smaller and slenderer than *friscana*. Pale castaneous. Length, 3.5 mm.

Vertex very short, evenly rounding, margins parallel, nearly five times as broad as long. Pronotum convex, elevated behind. Elytra long, slender, the costa only weakly convex, venation distinct, usually two and often three transverse nervures between the sectors, in the latter case there are usually two complete sets of anteapical cells.

Colour pale castaneous, traces of three fuscous points on anterior margin of vertex, the apices of the claval nervures marked with light. Sometimes the apical portion of elytra is faintly mottled with milky.

Genitalia: Female segment short, slightly roundly excavated on the posterior margin, a pair of lateral plates appear beneath in one specimen. Male valve short, transverse, nearly parallel margined, plates long, almost parallel margined, longer than their combined width, their apices individually, roundly pointed.

Described from four examples from Colfax, California. Collected by the author.

*Paropulopa Californica*, n. sp.—Resembling *interrupta* in size and form, slightly longer and narrower and with more definite dark nervures. Length, 3 mm.

Vertex slightly shorter and more evenly rounding than in *interrupta*, especially in the female. The margin inclined to be thick, as in *Mexicana*. Pronotum not as strongly pitted or as much depressed anteriorly as in *interrupta*. Elytra moderately long and narrow. The costa only slightly curved, venation strong and distinct on apical portion of corium.

Colour: Pale straw, coarsely and irregularly irrorate with fuscous, the nervures on apical portion of elytra almost entirely fuscous, on anterior portion pale or milky.

Genitalia: Female segment long, the lateral margins straight, the posterior margin slightly roundly emarginate from the sharp lateral angles, the middle deeply notched. Male valve short, broad, posterior margin broadly rounding. Plates extremely large, longer than their combined width, their apices together broadly rounding.