

APPENDIX

RETURN of the Illuminating Power and Purity of Gas

INSPECTION OFFICE.	Illuminating Power.						Sulphur per		
	Highest.	Lowest.	Average.	Standard.	No. of times below Standard.	No. of Tests.	Highest	Lowest.	Average
	Candles.	Candles.	Candles.	Candles.			Grains.	Grains.	Grains.
Ottawa—									
July.....	16.45	16.00	16.22	16	0	2	20.15	15.28	18.21
August.....	16.56	16.36	16.46	16	0	2	15.92	9.58	12.75
September.....	19.40	18.05	18.72	16	0	2	14.26	13.78	14.02
October.....	18.01	17.00	17.50	16	0	2	15.37	14.82	15.09
November.....	16.94	16.88	16.91	16	0	2	14.04	13.70	13.89
December.....	21.15	16.99	19.07	16	0	2	16.97	14.64	15.80
January.....	19.17	18.20	18.68	16	0	2	14.45	12.19	13.32
February.....	19.20	18.70	18.95	16	0	2	15.62	12.20	13.91
March.....	18.89	18.85	18.91	16	0	2	15.41	14.92	15.16
April.....	19.51	19.48	19.49	16	0	2	14.47	13.73	14.10
May.....	19.50	18.41	18.95	16	0	2	15.87	14.80	15.33
June.....	19.93	19.69	18.81	16	0	2	29.85	14.58	22.21
					0	24			
Owen Sound—									
July.....			23.08	16	0	1			
August.....			22.90	16	0	1			
September.....			22.70	16	0	1			
October.....			22.40	16	0	1			
November.....			22.33	16	0	1			
December.....			22.37	16	0	1			
January.....			21.81	16	0	1			
February.....			22.60	16	0	1			
March.....			21.60	16	0	1			
April.....			22.00	16	0	1			
May.....			21.70	16	0	1			
June.....			22.45	16	0	1			
					0	12			
Peterborough—									
July.....			18.15	16	0	1			
August.....			17.60	16	0	1			
September.....			17.90	16	0	1			
October.....			19.70	16	0	1			
November.....			20.69	16	0	1			
December.....			20.62	16	0	1			
January.....			19.58	16	0	1			
February.....			19.48	16	0	1			
March.....			21.70	16	0	1			
April.....			22.15	16	0	1			
May.....			21.20	16	0	1			
June.....			23.09	16	0	1			
					0	12			