

Pain.	Physical examination.	Operation.	Result.	Remarks.
Severe pain. While away was given hypodermatic morphia. Went home and had another attack.	Removed gestation sac, four to six weeks' duration, tubo-abdominal. Large amount of clot removed.	Recovered.	
.....	Mass, evidently cystic, in pelvis.	Found adherent mass behind uterus, large amount of old suppurating clot. Ruptured ectopic gestation about a year ago and suppurated. Very severe hemorrhage, but finally checked. Drained through vaginal opening.	Recovered.	
Three attacks of severe abdominal pain at intervals.	Mass behind uterus and satisfied blood clot poured out by ruptured ectopic gestation.	Large blood clot behind uterus. Gestation sac in tube setting up to left on top of clot, about twelfth week. Hemorrhage in tube beyond producing hematosalpinx. This leaked into peritoneal cavity in small quantities, owing to adhesions. Removed tube and contents. Drained.	Recovered.	
Indefinite pains.....	Found small nodule first examination. Advised waiting two weeks. Then found enlarged to double size.	Removed hematoma of right ovary, also ectopic gestation of right tube size of end of little finger, unruptured.	Recovered.	Unruptured.
One slight attack of pain when evacuating bowels. Three weeks after, severe attack of pain while lying in bed.	Boggy-feeling mass in pelvis.	Ectopic gestation end of right tube, abdominal. Removed. Cleaned out clots.	Recovered.	
Severe pain in abdomen.	Mass behind and to left side of uterus.	Removed ectopic gestation of left tube, tubo-abdominal. Also large mass of blood clot. Washed out with salt solution. Drainage tube.	Recovered.	
Sudden, severe pain in abdomen while walking on street. Managed to crawl into store.	Thought there was an internal hemorrhage.	Small ectopic gestation, from ten days' to two weeks' duration, in left tube. Removed with ovary. Abdomen full of blood. Washed out.	Recovered.	
.....	Peculiar coloring of skin and collapsed look. Felt blood clots breaking down. Mass chiefly to left side.	Abdominal cavity full of blood. Ectopic gestation sac under folds of omentum and running up to surrounded Fallopian tube. Removed this and while doing so tore off tube. Removed tube and ovary. Fresh blood poured out, also gestation sac in left side about three and a half months. Portion of left ovary left. Washed out and drained. Saline injected each breast. Arms and legs bandaged.	Recovered.	
A week before had sudden, severe pain. Cold perspiration. Had another attack.	On opening abdomen a stream of blood, thickness of finger, spurting in air. Full of blood. Ectopic gestation of four or five weeks in right tube, removed with tube.	Recovered.	
.....	Mass down behind uterus, pushing it forward.	Tubal ectopic gestation with rupture into peritoneal cavity. Flakes of organized clot covered intestinal wall. Removed sac.	Recovered.	