

Managed access

46. The inspection team shall take into consideration suggested modifications of the inspection plan and proposals which may be made by the inspected State Party, at whatever stage of the inspection including the pre-inspection briefing, to ensure that sensitive equipment, information or areas, not related to chemical weapons, are protected.
47. The inspected State Party shall designate the perimeter entry/exit points to be used for access. The inspection team and the inspected State Party shall negotiate: the extent of access to any particular place or places within the final and requested perimeters as provided in paragraph 48; the particular inspection activities, including sampling, to be conducted by the inspection team; the performance of particular activities by the inspected State Party; and the provision of particular information by the inspected State Party.
48. In conformity with the relevant provisions in the Confidentiality Annex the inspected State Party shall have the right to take measures to protect sensitive installations and prevent disclosure of confidential information and data not related to chemical weapons. Such measures may include, inter alia:
- (a) Removal of sensitive papers from office spaces;
 - (b) Shrouding of sensitive displays, stores, and equipment;
 - (c) Shrouding of sensitive pieces of equipment, such as computer or electronic systems;
 - (d) Logging off of computer systems and turning off of data indicating devices;
 - (e) Restriction of sample analysis to presence or absence of chemicals listed in Schedules 1, 2 and 3 or appropriate degradation products;
 - (f) Using random selective access techniques whereby the inspectors are requested to select a given percentage or number of buildings of their choice to inspect; the same principle can apply to the interior and content of sensitive buildings;
 - (g) In exceptional cases, giving only individual inspectors access to certain parts of the inspection site.
49. The inspected State Party shall make every reasonable effort to demonstrate to the inspection team that any object, building, structure, container or vehicle to which the inspection team has not had full access, or which has been protected in accordance with paragraph 48, is not used for purposes related to the possible non-compliance concerns raised in the inspection request.