not including damages to proprietors for streets closed up, nor damages to lease-holders of water-power on the canals for closing

to his plans. Dec., 1858. r letter of the roposed Docks. llowing as an 00 ..\$370,845 00 .. 177,320 00 . 309,400 00 \$857,565 CO ık to 30,000 00 the Point St. usand dollars WATSON. ate, for value resent value, otion of Mr. B. & W. Trautwine's ..\$1,073,976 107,397 \$1,181,373 887,565

260,000

160,000

\$2,488,938

their mills and factories during the enlargement of the canal. Let us now examine Mr. Trautwine's estimate for the docks at Point St. Charles. According to his figures the cost will be **\$3,087,878.** Mr. T. adds 25 per cent for contingencies, of hazardous construction,\$3,087,878 I have reason to believe there is no necessity for adding more than Mr. Forsyth does, say 10 per cent, and enquiry on this subject brings me to the same conclusion,..... 308,787 \$3,396,665 Mr. T.'s dock on his own plan has a lift of 25 feet, cost for this,\$469,876 Yet he makes the cost of a lock on Point St. Charles Scheme of 20 feet lift,..... 583,441 Upon enquiry from good authority, deduct difference,..... 113,567 Mr. T. estimates for the whole of the 11 piers; 4 only necesssary at present, according to Mr. Forsyth's plans, deduct estimate for 7, 158,802 Lock K, connecting Lachine Canal with dock, is a Government work, and is on the Lachine Canal lands, and will no doubt be constructed by the Canadian Government... 133,267 Filling up lots not at all necessary at present, as parties purchasing will prefer building on the rock and geting cellar room thereby,..... 209,953 \$615,587 There is left by the arrangement of this scheme of docks 121 lots 50 × 90, which, in such a position, are surely worth £250, but I estimate them at only £150 each, Cost of the docks at Point St. Charles, according to Mr. Trautwine's estimate,.....\$2,660,078 Against \$2,448,938 for the project through Griffintown. I have examined Mr. Forsyth's detailed estimates carefully. The prices for the various kinds of work differ from the prices named for the same work in Mr. Trautwine's estimate. On fixing his