

- Syphilis as cause of abortion, 317, 318
- Syphon douche, 167
- Tamponing, external, 440, 441
— of uterus, 439
— of vagina, 321, 354—356
- Tarnier's forceps, 520
- Temperature during puerperium, 257
— of infant, 559
- Tetarelle, 561, 562
- Third stage, treatment of, 184—191
- Threatened abortion, 318, 319
- Thrush, 585
- Transfusion after hæmorrhage, 443—445
- Transverse diameter of pelvis, 11, 12
— — measurement of, 79
— presentation, 239—248
- Traumatic post-partum hæmorrhage, 435, 436
- Trendelenberg's position in prolapse of cord, 430, 431
- Triplets, 249
- Triradiate pelvis, 390—393
- Trophoblast, 16
- Tubal abortion, 331
— pregnancy, 330—344
- Tumours of ovaries, 413, 414
— of pelvis, 415
— of uterus, 411—413
— of vagina, 413
- Twin pregnancy, 249—253
- Ulcér, puerperal, 465, 468
- Umbilical cord, 29—30
— — anomalies of, 286, 287
— — care of, during birth, 181
- Umbilical cord, changes in, after birth, 55—559
— — interlocking and knotting of, in twin labours, 253
— — ligation of, 183—184
— — presentation and prolapse of, 428—433
— — secondary hæmorrhage from, 581
— grip, 54
— souffle, 98
- Unavoidable hæmorrhage, 357—364
- Unguentum Credè, 480
- Ureters, changes in, during pregnancy, 101
- Urinary system, maternal, in pregnancy, 92
- Uterine culture, method of obtaining, 475
— — inertia, 366—369
— — forceps in, 368, 369
— souffle, 97
- Uterus, abnormalities of, in development, 293—297
— — in position, 288—293
— changes in, during pregnancy, 81—86
— — during labour, 111—136
— — during puerperium, 254—255
— contractions of, 116, 117
— height of, at different months, 82, 83
— inversion of, acute, 449, 450
— rupture of, in labour, 451—455
- Vaccines, method of obtaining material, 475
— use in lymphatic sepsis, 478, 479
— use in venous sepsis, 482