THE RESULT AS INFLUENCED BY THE TIME OF INJECTION.

In table I are given the results obtained in these three different groups of cases, classified according to the day on which they received the first injection of serum antitoxin.

8.71(00) 5.4 71312.3 45013.0 Mortality per cent. Torais. Deaths. 3381 5701 Cuses. 0.7 8.5 DAY OF INJECTION UNKNOWN. Moreality per cent. zi. 50 0 2 Deaths. 5 3 0 Cuses. 7 TABLE L-DAY OF INTECTION AND RESULT. ON Pril DAY, ON 5TH DAY, 30 Mortality per cent. 152/38. INJECTED 50/29 26 7 Deaths. <u>668</u> 3 203 5 "รอรชา õ c этогайцуу рег сепь. 11730. INJECTED <u>경</u> 3220. Deaths. 38 330 1533 500 Cases. 3 œ INTECTED INTECTED | INTECTED ON 1ST DAY, ON 2ND DAY, ON 2ND DAY, <u>.</u>... Mortality per cent INJECTED 37/16. અં တဲ 5 8 3 Deaths. 50S 8 3 3 Cases. =: 30 10 yortality per cen 2 8 8 Deaths. 215 91016 065 33 Cuses. Morrality per cent. œ 0 Deaths. 33 Ŝ 8 106 Cases. The Committee's Report New York Health Board. Chicago Health **Totals**

The grand total gives 5,794 cases with 713 deaths, or a mortality of 12.3 per cent., including every case returned; but the reports show that 218 cases were moribund at the time of injection or died within