Ovariotomy.

cysts, I was enabled to withdraw the rest of the tumour external to the addomen. The attachments were few but strong, none of recentdate, and principally to the omentum. Thepeducele was long, the veins large and targid, and not having one of Spencer Well's Clamps, I determined to secure it by the double whip-cord ligature, the ends being brought out at the lower angle of the wound and transfixed by a long needle which was passed through the whole of the abdominat walls. Two other long needles were also used, and soveral points of interrupted sature; long strips of adhesive plaster, and a flanned bandrae combleted the dressings.

Nothing of moment occurred during the operation i she rallied well, but complaned more of psin in the back, and situation of the peduncle than is usual after these operations. Before the operation the pulse was rapid, an hour atterwards it had fallen to 80, but rose again in the evening to 112-and vomiting also took place. One grain of opium was given and ordered to be repeated until sleep was induced or the pain rolloved.

May 1st, 1868, 7.30 a.m.—Sho passed a restless night from the pain in the back and lower parts of the wound, both of which baro now passed away and she feels comfortable; pulse 104, soft; kin moist; tongue whitish; and urine secreted in good and normal quantities. 10 p.m. The opium caused vomiting and was consequently omitted, the stomach is now comfortable, sho has no pain, is cheerful, and inclined to talk—I injected a quarter of a grain of morphine subcutaneously.

May 2nd, S a.m. Sho passed a good night, sleeping about soren hours, but now complained of griping pains flying from place to place, with general tenderness of the abdomen and slight tympaints. Her countenance is good; skin moist; pulse 100 soft; respirations not increased, urine secreted in healthy quantities and sho feels no pain when the griping passes away. To have ono grain of opium immediately and ropeated in an hour, and Tur-Fentine Mix, in mucilage occasionally.

May 2nd, noon.—The opium caused vomiting again, but was used because the syringe was not at hand. She is quite free from pain; pulse 94, skin moist; and she is cheerful.

10 p.m. Quito casy and feels inclined to sleep. There has been a quantity of dark coffee-ground looking discharge from the uterus all day.