

Table 1 - continued

Group II - Percutaneously Toxic LiquidsApproximate Lethal Doses Percutaneous

<u>Name of Lethal</u>	<u>Percutaneous</u>	<u>Inhaled Vapour</u>	<u>Injected</u>
<u>Material</u>	<u>mg/kg</u>	<u>LCT₅₀ mg min/m³</u>	<u>mg/kg</u>

Parathion	500		5
Diisopropyl			
fluorophosphate	100	5,000	4
Allyl alcohol	50	140,000	-

Proposed->Nicotine (base)
reference
substance

Mustard Gas	20(?)	2,000	10
Paraaxon	10		-
Persistent			
nerve gas	0.2	50	0.02

Group III - Supertoxic Solids

<u>Name of Lethal Material</u>	<u>Approximate Lethal Dose Injected</u>
	<u>mg/kg (subcutaneous)</u>

Strychnine	1.0
Physostigmine	0.5
Curarine	0.5

Proposed->Neostigmine
reference
substance

Digitoxin	0.3
Carbachol	0.3
Snake Venoms	0.5 -> 50
Ricin	0.02
Carbamates	0.01
Bacterial Toxins	
- staphylococcus	0.00001
- tetanus	0.00000003
- botulin	0.00000002