




Refer to this map as: 23 E/16 EDITION 1 ASE SERIES A 761



Use diagram only to obtain numerical values. APPROXIMATE MEAN DECLINATION 1966 FOR CENTRE OF MAP. Annual change decreasing 4.5'

ONE THOUSAND METRE UNIVERSAL TRANSVERSE MERCATOR GRID

GRID ZONE DESIGNATION	100,000 M. SQUARE IDENTIFICATION
19 U	DK



EXAMPLE OF METHOD USED TO GIVE A REFERENCE TO NEAREST 100 METRES

THE FOLLOWING GRID COORDINATES GIVE A POINT 100 M. FROM THE POINT OF INTEREST TO THE NEAREST 100 METRES

REFERENCE POINT	CHURCH	(see above)
EASTING: Road number on grid line immediately to left of point	97	
Easting: Number of a square from this line westward to point	97	5
NORTHING: Road number on grid line immediately below point	98	
Northing: Number of a square from this line northward to point	98	4


EXAMPLE MILITARY GRID REFERENCE 979884

Nearest similar grid reference 100,000 metres (about 61 miles)

ZONE 19

Produced, 1965, by the SURVEYS AND MAPPING BRANCH, DEPARTMENT OF ENERGY, MINES AND RESOURCES, from aerial photographs taken in 1956. First operationally printed 1962. Copies may be obtained from the Map Distribution Office, Department of Energy, Mines and Resources, Ottawa.

LAC MONTVIEL QUÉBEC



CONTOUR INTERVAL 50 FEET

ÉQUIVALENCE DES COURBES 50 PIEDS

Établie en 1965, par la DIRECTION DES LEVÉS ET DE LA CARTOGRAPHIE, MINISTÈRE DE L'ÉNERGIE, DES MINES ET DES RESSOURCES, à partir de photographies aériennes prises en 1956. Première impression 1962.