

10. Gas oil:

Table 2. Limit values for the sulphur content of gas oil a/

	Sulphur content (per cent by weight)
Gazole	< 0.2 after 1 July 2000 < 0.1 after 1 July 2008

^a "Gas oil" means any petroleum product within HS 2710, or any petroleum product which, by reason of its distillation limits, falls within the category of middle distillates intended for use as fuel and of which at least 85 per cent by volume, including distillation losses, distils at 3500C. Fuels used in on-road and non-road vehicles and agricultural tractors are excluded from this definition. Gas oil intended for marine use is included in the definition if it meets the description above or it has a viscosity or density falling within the ranges of viscosity or density defined for marine distillates in table I of ISO 8217 (1996).

11. Claus plant: for plant that produces more than 50 Mg of sulphur a day:

- (a) Sulphur recovery 99.5% for new plant;
- (b) Sulphur recovery 97% for existing plant.

12. Titanium dioxide production: in new and existing installations, discharges arising from digestion and calcination steps in the manufacture of titanium dioxide shall be reduced to a value of not more than 10 kg of SO₂ equivalent per Mg of titanium dioxide produced.

B. Canada

13. Limit values for controlling emissions of sulphur dioxide from new stationary sources in the following stationary source category will be determined on the basis of available information on control technology and levels including limit values applied in other countries and the following document: Canada Gazette, Part I. Department of the Environment. Thermal Power Generation Emissions - National Guidelines for New Stationary Sources. May 15, 1993. pp. 1633-1638.

C. United States of America

14. Limit values for controlling emissions of sulphur dioxide from new stationary sources in the following stationary source categories are specified in the following documents:

- (a) Electric Utility Steam Generating Units - 40 Code of Federal Regulations (C.F.R.) Part 60, Subpart D, and Subpart Da;
- (b) Industrial-Commercial-Institutional Steam Generating Units - 40 C.F.R. Part 60, Subpart Db, and Subpart Dc;