

A.—Cinereous Bunting, *Gen. Syn. Sup.* p. 150.—Var. A.

Bill yellow; head, neck, back, and wings, rust-coloured, the feathers deeply, and elegantly edged with pale grey; some of the greater coverts edged with paler rust; primaries and tertials with white; throat, breast, and sides white, fully spotted with rust; middle of the belly white; middle feathers of the tail brown; exterior white, each truncated obliquely.

Inhabits New York.

76.—BLUE BUNTING.

Emberiza cærulea, *Ind. Orn.* i. 415. *Gm. Lin.* i. 876. *Shaw's Zool.* ix. 408.

——— *Canadensis cærulea*, *Bris.* iii. 298. t. 14. f. 2. *Id.* 8vo. i. 301.

L'Azuroux, *Buf.* iv. 369.

Blue Bunting, *Gen. Syn.* iii. 205. *Arct. Zool.* ii. No. 234.

SMALLER than the last; length four inches and a quarter. Bill and legs pale brown; crown dull rufous; body above mixed, dull rufous and blue; beneath the same, but the rufous colour pale; greater coverts, quills, and tail, brown, with the outer edges rufous.

Inhabits Canada.

77.—INDIGO BUNTING.

Emberiza cyanea, *Ind. Orn.* i. 415. *Gm. Lin.* i. 876. *Shaw's Zool.* ix. 407.

Tanagra cærulea, *Ind. Orn.* i. 427. *Gm. Lin.* i. 801.

Tanagra cyanea, *Lin.* i. 315.

Fringilla cyanea, Blue Linnet, *Amer. Orn.* i. pl. 6. f. 5.

Tangara Carolinensis cærulea, *Bris.* iii. p. 13. *Id.* 8vo. i. 307.

Avis exotica obscura cærulea, *Gerin.* iii. t. 359.

Le Ministre, *Buf.* iv. 86.

Grosbec, *Tem. Man. d'Orn. Ed.* ii. *Anal.* p. lxxi.