- 158. Bobolink. Dolichonyx oryzivorus. Abundant summer resident in all the prairie region. Arrives May 20, departs September 7.
- 159. Cowbird. Molothrus ater. Very abundant summer resident throughout the prairie region. Arrives May 15; departs the in the fall, but disappears for a time during to moult at the end of August. They are then to be found, I believe, in the sloughs and marshes with the Grackles.
- 160. Yellow-headed Blackbird. Xanthocephalus xanthocephalus. A summer resident of the marshes throughout the Alleghanian region; found also, but much less numerously, in the Canadian region; wherever there are extensive marshes. Arrives May 1, departs late in October.
- 161. Northern Redwing. Agelaius phoeniceus crctolegus. Abundant summer resident of the whole Province. Arrives April 20; departs late in October.

C

f

S

r

- 162. Western Meadow Lark. Sturnella neglecta. Abundant summer resident of all the prairie regions. Arrives April 15; departs October 15.
- 163. Orchard Oriole. Icterus spurius. One specimen, taken at Pembina, June 6, 1873, by Dr. Coues.
- 164. **Baltimore Oriole.** Icterus gaibula. Abundant summer resident of the Alleghanian region. Arrives May 30; departs August 30.
- abundant migrant during April and late September. Not found in the Alleghanian region during summer, but probably breeding in the north-west parts of the Province within the Canadian.
- 166. Brewer Blackbird, Satin Bird. Euphagus cyanoce-phalus. Abundant summer resident, apparently