

and then sharpen to a point the tube thus formed, to be inserted in the caterpillar; a tube is also inserted in the other end (see fig. 21.) For myself I prefer the simple straw.

*The operation.* Kill the subject by a drop of ether or by a plunge in spirits; if it be a hairy caterpillar, it should remain at least half an hour in alcohol, and then rest on bibulous paper for forty-eight hours; otherwise the hairs drop off in the subsequent operation. Then placing the caterpillar in the left hand, so as to expose its hinder extremity beyond the gently closed thumb and first two fingers, enlarge the vent slightly at the lower edge by a vertical cut with the scissors; next lay the larva either upon bibulous paper on the table, or upon soft cotton cloth held in the left hand, and press the extremity of the body with one finger, always with the interposition of cloth or paper, so as to force out any of the contents of the rectum; this process is continued from points successively farther back, a slight additional portion of the contents of the body being gently pressed out with each new movement. Throughout all this process great care should be taken lest the skin should be abraded by too violent pressure, and lest any of the contents of the body soil its exterior or become entangled in the hairs or spines; to avoid the latter, the caterpillar should be frequently removed to a clean part of the cloth or paper. When a portion of the intestinal tube itself becomes extruded, it should be seized with a pair of strong forceps, and, the head remaining in the secure hold of the left hand, the tube should be forcibly but steadily torn from its attachments; with this most of the contents of the body will be withdrawn, and a delicate pressure passing from the head toward the tail will reduce the subject to a mere pellicle.

The alcohol lamp is now lighted and placed in position beneath the oven; a straw is selected, of the proper size to enter the enlarged vent, and the tip, after being cut diagonally with sharp scissors, is moistened a little in the mouth (to prevent too great adhesion of the skin to the straw) and carefully introduced into the opening of the caterpillar; the process may be aided by blowing gently through the straw. When the skin is slipped upon all sides of the straw to the distance of nearly a quarter of an inch, without any folding of the skin and so that both the anal prolegs protrude, a delicate pin (Edelston and Williams, No. 19, is best) is passed through the anal plate and the straw.

By this time the oven will be sufficiently heated to commence the drying process, which consists simply in keeping the caterpillar in the