

GENERIC NAMES USED IN PAMPHILIINÆ.

Acantholyda A. Costa, Pros. Hym. Ital., III, p. 232, 1894.

Type: *Tenthredo erythrocephala* *Linnaeus* [first species].

Anoplolyda A. Costa, Pros. Hym. Ital., III, p. 233, 1894.

Type: *Lyda alternans* A. Costa [first species].

Bactroceros Konow, Ann. K. K. Nathist. Hofmus., XII, p. 21, 1897.

Type: *Tenthredo vafer* *Linnaeus* [chosen].

Cænolyda Konow, Ann. K. K. Nathist. Hofmus., XII, p. 15, 1897.

Type: *Tenthredo reticulata* *Linnaeus* [chosen].

Cephaleia Panzer, Fauna Ins. Germ., VIII, p. 36, 1805.

Type: *Cephaleia arvensis* *Panzer* = (*Tenthredo signata* *Fabricius*).

Gongylocorsia Konow, Ann. K. K. Nathist. Hofmus., XII, p. 19, 1897.

Type: *Lyda mandibularis* *Zaddach* [monobasic].

Itycorsia Konow, Ann. K. K. Nathist. Hofmus., XII, p. 13, 1897.

Type: *Tenthredo hieroglyphica* *Christ* [chosen].

Kelidoptera Konow, Ann. K. K. Nathist. Hofmus., XII, p. 20, 1897.

Type: *Lyda maculipennis* *Stein* [monobasic].

Lyda *Fabricius*, Syst. Piez., p. 43, No. 5, 1804.

Type: *Tenthredo sylvatica* *Linnaeus* [Curtis, 1831].

Liolyda Ashmead, CAN. ENT., p. 209, 1898.

Type: *Lyda frontalis* *Westwood* [designated].

Neurotoma Konow, Ann. K. K. Nathist. Hofmus., XII, p. 18, 1897.

Type: *Tenthredo flaviventris* *Linnaeus* [chosen].

Pamphilius *Latreille*, Hist. Nat. Crust. and Insects, III, p. 303, 1802.

Type: *Tenthredo sylvatica* *Linnaeus* [monobasic].

GENERIC SYNOPSIS OF PAMPHILIINÆ.

Claws with an inner tooth 1.

Claws cleft 2.

1. Anterior tibiæ with a superapical lateral spur . . . *Acantholyda* A. Costa.

— Anterior tibiæ without a superapical lateral spur . . . *Cephaleia* *Panzer*.

2. Intercoastal vein with only the lower branch present . . *Neurotoma* *Konow*.

— Intercoastal vein with both branches present,
forked *Pamphilius* *Latreille*.

Acantholyda A. Costa.

Postgenal area carinated *Itycorsia* *Konow*.

Postgenal area not carinated . . . *Acantholyda* A. Costa = (*Lyda* *Konow*).