are less by 5.4 per cent. Smallpox and scarlet fever show a marked decline, while diphtheria has been more prevalent, yet the case mortality remains much the same, being 15.2 per cent. in 1904, and 16.2 per cent. in 1905. Out of 412 cases nine cities reported 269 cases with 34 deaths. Typhoid fever with a greater number of cases reported, and fewer deaths would indicate that physicians are complying more readily with the Health Act in notifying health officers and Boards of Health of the cases coming under their care, or else the disease is of a milder type than that of a year ago. Tuberculosis caused 169 deaths, or ten less than in January, 1904.

COMPARATIVE TABLE.

**************************************	_			
DISEASE.	1905.		1904.	
	Cases,	DEATHS	Cases.	Deaths,
Smallpox Scarlet Fever Diphtheria Measles Whooping Cough Typhoid Fever Tuberculosis	10 223 412 268 27 69 174	67 4 4 21 169	380 382 32 25 39	0 24 58 2 7 23 179
	1183	277	1140	293

DIPHTHERIA BY CITIES.

CITIES.	Cases,	DEATHS.	Population.
Chatham. Guelph Hamilton Kingston London Ottawa St. Thomas Stratford Toronto	12 1 36 2 18 18 4 1	0 1 3 0 0 0	9,068 11,496 52,634 17,961 37,983 59,928 11,485 9,959 208,040
	269	34	