

The appearance of the country suggests that it is well adapted to mixed farming, in which fruit would form no small part. At present vegetables of excellent quality are grown by the Indians. The streams and lakes afford trout, and in the autumn the Naas River is alive with salmon, the sockeye being the most numerous. Cariboo and moose range through the valley, and mountain goat are to be had in the mountains to the west. Grouse are also plentiful in the valley.

A. WOODCROFT.

CRUISER'S REPORT ON 12,160 ACRES OF LAND

LOCATED IN THE UPPER NAAS VALLEY AND ON COTTON RIVER.

No. 1, 640 acres, located Sept. 14, 1912, in name of Charles J. Thompson. Approx. area level, 400 acres; approx. area rolling, 240 acres; approx. area timbered, 600 acres; approx. area meadow, 40 acres. Character of timber, light spruce and balsam, with willow and alder undergrowth and wild berry bushes. Character of soil, alluvial deposit. Good drainage and well watered by a number of small spring streams.

No. 2, 640 acres, located Sept. 14, 1912, in name of R. Aubrey McGee. Approx. area level, 400 acres; approx. area rolling, 240 acres; approx. area timbered, 600 acres; approx. area meadow, 40 acres. Character of timber, light spruce and balsam, with willow and alder undergrowth and several varieties of wild berry bushes. Character of soil, alluvial deposit, good drainage, and well watered by a number of small spring creeks.

No. 3, 640 acres, located Sept. 14th, 1912, in name of William Russell. Approx. area level, 300 acres; approx. area slightly rolling, 340 acres; approx. area timbered, 600 acres; approx. area meadow, 40 acres. Character of timber, light spruce and balsam, with a small percentage of hemlock, willow and alder undergrowth, and several varieties of wild berries. Character of soil, alluvial deposit, good drainage and well watered by a number of small spring creeks.