

## FAVORABLE.

Lesion.	General Condition.	Complications.	Fever.
Classes I. and II. ....	good	none	none, or with fever— max. 100.5°
Class III. .... (Small amount of excavation; expectoration slight.)	good	none	none
Classes I. and II. ....	good	slight—non-tu- berculous or slight laryngeal lesion	none

Dry pleurisy, or thickened pleura, or pleurisy with effusion, with mild symptoms and short period of fever.

## DOUBTFUL.

Lesion.	General Condition.	Complications.	Fever.
Class III. .... (Excavation slight.)	good	none	with fever—max. 100.5°
Classes I. and II. ....	moderately im- paired	none	with fever—max. 101.5°
Classes I. and II. ....	moderately im- paired	slight—non-tu- berculous or laryngeal	with fever—max. 100.5°
Classes I. and II.—Basal	moderately im- paired	none	with or without slight fever

Pleurisy with effusion and continued fever.

## UNFAVORABLE.

Lesion.	General Condition.	Complications.	Fever.
Classes I. and II. ....	impaired	none	fever exceeding 101.5°
Classes I. and II. ....	impaired	present	with or without fever
Class III. .... (Apical, with extensive excava- tion.)	impaired	none or present	with or without fever
Class III.—Basal ....	impaired	none or present	with or without fever

Chronic fibroid phthisis; miliary pleurisy, both sides; acute symptoms; general miliary disease, as indicated by vague, not localized physical signs, rapid pulse, rapid respiration and cyanosis.