

52. *Pulmonaria paniculata*: Willd. i. p. 760. Pursh. i. p. 131. (W.)
 53. *P. maritima*: Smith. Fl. Brit. i. p. 218. (H. A.)
 54. *Androsace elongata*: Willd. i. p. 797. (W.B.)
 55. *A. septentrionalis*: Willd. i. p. 748. (B.)
 56. *Primula Egaleccensis*: Flor. Dan. t. MDXI. Lehman. Monogr. p. 64. t. vii. (B.)

Flos rubescenti-albus, ore citrino.

57. *P. farinosa*: Smith. Fl. Brit. i. p. 224. (W.)
 58. *P. Hornemanniana*: Lehman. Monogr. p. 55. t. iv.
P. farinosa β stricta: Wahl. Fl. Lapp. p. 60, ejus descriptio cum plantâ nostrâ optimè quadrat. *P. farinosa* quâcum habitat minor, umbellâ florenti longiori et magis divaricatâ; umbellæ fructiferæ tamen in ambabus strictæ. Involucri foliola huic et præcedenti plura adsunt quam *P. Egaleccensis* sed ut in illâ baseos gibbosos habent. (W.)

59. *Dodecatheon integrifolium*: Michaux. Fl. Am. i. p. 123.
 Our specimens agree with those in the Lambertian Museum, from Eastern Siberia, collected in Billings' Expedition. (W. C.)

60. *Menyanthes trifoliata*: Willd. i. p. 811. Pursh. i. p. 139. (W.)
 61. *Lysimachia thysiflora*: Mich. Fl. Amer. i. p. 127. (W.)
 62. *Phlox Hoodii*: humilis multicaulis, foliis subulatis margine lanatis, floribus sessilibus solitariis, limbi laciniis obovatis. (C.)

Tab. 28. Expl. Icon. figuræ plantæ magnitudine naturalis. Sequentes omnes ad lentem auctæ. a. folia duo. b. flos. c. calyx longitudinaliter fissus et explanatus. d. corolla aperta ad venas ejus stamina et pistillum ostendendas. e. stamen.

This beautiful species is a striking ornament to the plains in the neighbourhood of Carlton-House, forming large patches, which are conspicuous from a distance. The specific name is a small tribute to the memory of my lamented friend and companion, whose genius, had his life been spared, would have raised him to a conspicuous station in his profession, and rendered him an ornament to any science to which he might have chosen to direct his attention.

63. *Eutoca Franklinii*: foliis pinnatifidis bipinnatifidisve, ovulis placentæ singulæ viginti pluribus. Brown ad finem hujus catalogi. (W.)

64. *Campanula rotundifolia*: Willd. i. p. 892. Pursh. i. p. 159. (W.)
 var. *linifolia*: Flor. Dan. t. 189. Linn. Fl. Lapp. No. 84. (W.)

65. *C. uniflora*: Willd. i. p. 890. Wahl. Fl. Lapp. p. 63. (B.)
 66. *Azalea procumbens*: Willd. i. p. 832. Pursh. i. p. 154. (B.)
 67. *Caprifolium parviflorum*: Pursh. i. p. 161. (W.)
 68. *Xylosteum cæruleum*: *Lonicera cærulea*. Willd. ii. p. 988. (W.)
 69. *X. villosum*: Michaux. Fl. Am. i. p. 106. (W.)

70. *X. involcratum*: pedunculis bifloris, baccis distinctis, involucro tetraphyllo: foliolis sub-rotundis interioribus bilobis, foliis ovato ellipticis. *Lonicera involcrata*: M.S. Herbario Banksiano. (W.)

71. *Symphoria occidentalis*: R. Brown. M.S. (W.)

S. racemosæ proxima.