THE

BRITISH AMERICAN JOURNAL

0F

PHYSICAL SCIENCE. MEDICAL AND

Vol. II.7

[No. 10

CASE OF INFLAMMATION OF THE APPENDIX VERMIFORMIS,

FROM GALL STONES LODGING IN IT-ENDING IN GANGRENE AND DEATH.

By WOLFRED NELSON, Esq. The post mortem appearances (with lithograph), reported by J. CRAWFORD M. D.

On Friday, 1st inst., 3 P. M., was called to the Rev Mr. Strong: complained of "a fixed pain at the bottom and on the right side of the belly. The tip of your finger can cover the part-the pain is much indescription he gave of his case. Mr. S. was 31 years terday highly buffed. of age, of a bilious temperament, habitually costive ; ing the night should the pain increase.

2nd, 9 A. M. "Passed an uneasy night; occasional slumber but no refreshing rest: griping less often but extremely severe : the pain always in the same place :" skin, pulse, and tongue as yesterday. " No pain on pressure but on that particular spot ;" countenance dejected, eyes sunken, and tinged with yellow. Two enemas had been given in the night, some liquid fæces passed. Repeated the calomel, &c. 12 Р. м., по amendment: two grains calomel every hour-fomentations. 3 P. M., "Fixed pain and griping more violent," "in that one spot." Bled to the extent of 22 ounces: became faint, had a copious liquid stool, and passed died at 2 P. M.

little place is always very painful, and the griping though less often is very severe." To the calomel was added half a grain of morphine : a blister applied over the right iliac region ; bags filled with hot oats to be continued ; soluble tartar, as usual. 3rd, 2 A. M., was sent for, had become suddenly worse; "pain in the part intense: running down to the anus and to the end of the urethra : if you could only open that small place how it would relieve me; mouth dry; but not thirsty:" surface cool; pulse 90 and weak: bottles filled with hot water creased when there is a peristaltic motion of the bowels to the feet, &c. Notwithstanding the symptoms of col--violent gripings come on about every 20 or 30 min-lapse, twelve lecches were placed over the right groin, utes-no thirst, but the mouth is dry." Such was the the pain being so intense there. The blood taken yes-

The patient had been made aware of the nature of would occasionally take blue pill followed by seidlitz his case from the first: I requested that other medical powder : had had no move for the last 24 hours. The aid might be had : in about two hours I had the pleasskin was moist and cool, pulse about 80 and soft, ure of having Dr. Crawford's valuable assistance. The tongue white. Of calomel, jalap and rhubarb 10 grains Doctor concurred in my view of the case and in all that each, were given; a drachm of soluble tartar in a pint had been done. A few drops of the arom. spt. amm. of water for drink. Bags of heated oats or bran to be were given as a gentle diffusable stimulus. Bags of kept constantly over the pain. Saw him again at 7 bran steeped in hot water were applied over the leech r. M. Had passed a copious, soft stool, deep brown bites, which bled rather freely. Four grains calomel, colour and very offensive odor, with much flatus. "Much two of ext. hyos. and two of opium were given every four better, the griping less severe and frequent, but the hours. Once between each dose, the cal. and hyospain still in the same spot." Five grains cal. with one alone were to be taken. 9 A. M., we returned, found a of ext. aconite and half a grain ext. belladonna in a striking alteration in the symptoms. The surface was pill were given. Continue hot applications, sol. tartar, now warm: the pulse 120, small and hard: the abdo-&c. Enemas with custor oil to be administered dur- men becoming tense; pain more diffused: continued medicine, fomentations, &c.

> Anticipating the necessity for the further application of leeches, a number were ordered to be provided against the next visit.

1 p. M.-We were joined by Drs. Campbell and M'Donnell: were unanimous as to the nature of the case: external heat much increased : " pain had shot all over the abdomen :" pulse 140, small and hard : breathing hurried. Eighteen leeches were applied over the right hypogastrium and a large blister over the epigastrium: medicine as usual. 6 P. M., met Drs. Crawford and yet was there no reaction nor pain of the abdomen, save M. Donnell: all the unfavourable symptoms much aggravated : at 9 met Dr. C. again : evidently sinking :

large volumes of flatus; felt much relieved; continued It is worthy of remark, that so long as the pain was medicine. 7 F. M., "better than at any time yet, but that confined to the region over the appendix vermiformia