

TABLE 5.—Form in relation to previous Occupation or Profession.

	Occupation, e. g.,							Totals.
	Sailors.	Soldiers.	Carpenters.	&c.	&c.			
Mania ..								
Melancholia ..								
Dementia ..								
General Paralysis								
Epilepsy ..								
Other forms ..								
Totals ..								

TABLE 6.—Form in relation to Duration of Malady and to result.

	Cured.			Dead.			Relieved.			Unchanged.			Totals.
	Under 1 month.	Under 3 months.	Under 1 year.	Under 1 month.	Under 3 months.	Under 1 year.	Under 1 month.	Under 3 months.	Under 1 year.	Under 1 month.	Under 3 months.	Under 1 year.	
Mania ..													
Melancholia ..													
Dementia ..													
General Paralysis													
Epilepsy ..													
Other forms ..													
Totals													

TABLE 7.—Duration of Malady before Treatment in relation to Result.

Duration of Present Attack before Treatment.	Cured.			Died.			Relieved.			Unchanged.			Totals.
	In less than 1 month.	In less than 3 months.	In less than 1 year.	In less than 1 month.	In less than 3 months.	In less than 1 year.	In less than 1 month.	In less than 3 months.	In less than 1 year.	In less than 1 month.	In less than 3 months.	In less than 1 year.	
Under 1 Week—													
a. This being first attack ...													
b. This not being first attack ...													
Under 2 Weeks—													
a. This being first attack ...													
b. This not being first attack ...													
Under 1 Month—													
a. This being first attack ...													
b. This not being first attack ...													
Under 6 Months—													
a. This being first attack ...													
b. This not being first attack ...													
Under 1 Year—													
a. This being first attack ...													
b. This not being first attack ...													
Over 1 Year—													
a. This being first attack ...													
b. This not being first attack ...													
Totals													

These additional tables must be filled up in two sets, one for males the other for females.

To each set of tables a warning should be added against entering the same patient several times under different heads (as under Mania and under Epilepsy) which would confuse the totals.

Where coloured patients are treated they should be distinguished in the Tables