

BLACK-BELLIED PLOVER (*Squatarola squatarola*).—Mr. Spreadborough took a female on May 21, 1897.

AMERICAN GOLDEN PLOVER (*Charadrius dominicus*).—A male was taken by Mr. Spreadborough on May 20, 1897.

KILDEER PLOVER (*Oxyechus vocifera*).—Common breeder. Arrives about April 15.

SEMIPALMATED PLOVER (*Ægialitis semipalmata*).—I have only one record, a flock seen on May 13, 1912, feeding along the margin of a pond.

RUFFED GROUSE (*Bonasa umbellus*).—Common permanent resident. This form is probably referable to *umbelloides*.

SHARP-TAILED GROUSE (*Pedioecetes phasianellus*).—Common permanent resident. No doubt referable to the sub-specific form *campestris* as Mr. Atkinson recorded it as far west as Edmonton, in 1906. Mr. Spreadborough, in 1897, also, observed individuals as far as twenty-five miles west of that place.

MARSH HAWK (*Circus hudsonius*).—Common summer resident. Breeds.

AMERICAN GOSHAWK (*Accipiter atricapillus*).—Occasionally observed. More common further west.

RED-TAILED HAWK (*Buteo borealis*).—Not uncommon. Nests along the Saskatchewan river. "The form occurring here is no doubt referable to sub-species *calurus*."—(P. A. Taverner).

SWAINSON HAWK (*Buteo swainsoni*).—Mr. Spreadborough collected a female at Edmonton on May 6, 1897.

AMERICAN ROUGH-LEGGED HAWK (*Archibuteo lagopus sanctijohannis*).—Mr. Spreadborough observed a bird of this species at Edmonton in April of 1897.

PIGEON HAWK (*Falco columbarius*).—Macoun's Catalogue states that Mr. Spreadborough found this species nesting at Edmonton in 1897. Mr. Taverner informs me that it is not quite clear whether Spreadborough recognized both forms of Pigeon Hawk. All his specimens in the Geological Survey collection are typical *richardsonii*.

RICHARDSON MERLIN (*Falco richardsonii*).—Taken on different occasions by Mr. Spreadborough during the spring of 1897.

AMERICAN SPARROW HAWK (*Falco sparverius*).—Fairly common. Breeds.

LONG-EARED OWL (*Asio wilsonianus*).—A female was collected by Mr. Spreadborough on May 15, 1897. He found it nesting in spruce woods.

SHORT-EARED OWL (*Asio accipitrinus*).—A few individuals were observed by Mr. Spreadborough during May, 1897.

SAW-WHET OWL (*Cryptoglaux acadica*).—I only observed two individuals of this little owl. Mr. Spreadborough records it in the spring of 1897.