

And Morpho Fab. as it stands in Kirby picks from 3rd family 1st, 4th and 6th coitus, while between the 2nd and 4th comes Bia, one of the Satyrinae !

Ninth Stirps, Oreades, generally equivalent to what in Kirby is the 2nd sub-family of the Nymphalidae, the Satyrinae. 1st coitus Tenaris, 2 species, put under Tenaris Hub., which stands in the 4th sub-family of the Nymphalidae, the Morphinae.

Third family 1st coitus, Faunis, 2 species, 1 to Cleome West., among the Morphinae, the other to Taygetes Hub., the 57th genus of the Satyrinae. The very next coitus, Lethe, 1 species, put in Lethe Hub., the 7th genus of the Satyrinae. And the coitus immediately following is Hypna, 1 species, put as Hypna Hub., the 109th genus of the Nymphalinae !

Fourth family, 1st coitus Hipparchia, 7 species. 6 of which are put to Hipparchia Fab., the 32nd genus of Satyr., 1 to Calisto Hub., the 46th.

Third coitus Eumenis, 4 species, 2 to Hipparchia Fab., 2 to Oeneis Hub. The next coitus, Oeneis, has 5 species, 4 put to same and 1 to Hipparchia Fab.

This spurious genus, Oeneis Hub., thus made up by selecting from two coitus, each of which contains a mixed lot of Chionobas and Hipparchia, is quoted now-a-days as the equivalent of the well defined and natural genus Chionobas Boisduval, with a pretended precedence of some 30 years !

Hipparchia Fab. selects species from the 4th family, 1st, 2nd, 3rd, 4th coitus, and 5th family 7th coitus.

Ninth family, 1st coitus Callidula, 3 species, 1 doubtfully put to Pentila West., a genus of the Lycaeninae, 1 to Haematera Doub., the 48th genus of Nymphalinae, and 1 is a Heterocerous Moth. Scudder (Hist. Sketch) says that 2 of the 3 are Moths.

Second coitus, 3 species, 1 to Crenis Bois., 35th of Nymph., 1 to Callithea Bois., 56th of same, and 1 to Trichoris Hew., the 39th genus of the Lycaeninae. Now Oreades is claimed by the Hubnerians to be synonymous with Satyridae !

Under Maniola Schrank, Kirby lumps all the species of two families and eight coitus, except two species.

Second Tribe *gentiles*, 1st Stirps, Agrodiaeti. The 1st family has 11 coitus, every species except one under which is lumped in Kirby as Cupido Schrank, as are others in the next family and several coitus.