

## LOBELIACEÆ.

## LOBELIA, L.

1332. *L. CARDINALIS*, L. (Cardinal Flower.)  
 River-sides and along streams common. July—4. (B.) This is undoubtedly one of our finest Canadian wild flowers, and has been cultivated in Europe for many years.
1337. *L. INFLATA*, L. (Indian Tobacco.)  
 Sandy fields. July—4. (B.)

## CAMPANULACEÆ—Bell-wort Family.

## CAMPANULA.

1342. *C. rapunculoides*, L.  
 Waste ground. Introduced. For many years there was a large patch of this persistent plant on the vacant lot where the rooms of the Ottawa Literary and Scientific Society now stand.
1344. *C. ROTUNDIFOLIA*, L. (Hare-bell.)  
 Crevices of rocks. Not uncommon. June—2. (B.)
1345. *C. APARINOIDES*, Pursh. (Rough Bell-flower.)  
 Marshes and along streams. Common. A slender plant, the weak stems rough with short spines on the angles. Flowers nearly white. July—2. (B.)

## VACCINIACEÆ.—Blueberry Family.

## GAYLUSSACIA, HBK. Huckleberry.

1350. *G. RESINOSA*, T. & G.  
 Sandy fields and swamps. Race-course swamp. Aylmer. East Templeton. June—1. Whole plant covered with resinous globules. Fruit black.

## VACCINIUM, L. Blue-berry.

1352. *V. PENNSYLVANICUM*, Lam. (Early Blueberry.)  
 Borders of swamps and hill-sides. Chelsea Mountains. Aylmer. Race course on Bank street road. May—2.  
 A smooth dwarf shrub with oblong, serrate, leaves, which are smooth on both sides. Flowers cylindrical bell-shaped, white tinged with red. Our earliest blue-berry ripe by the middle of July.
1353. *V. CANADENSE*, Kalm.  
 Swamps, sandy fields and hill-sides, with the last, not uncommon. May—2. A dwarf shrub, the whole plant downy. Flowers small, green tinged with red.
1355. *V. CORYMBOSUM*, L. (Swamp Blue-berry.)  
 Swamps and mossy rocks. May—2.  
 Under this name are grouped several very different varieties.  
 Var. *ATROCOCCEUM* is a high bush found in swamps with leaves entire and downy underneath, as also are the branchlets. Flowers white; berries black without bloom.