Pathogenesis.—Subcutaneous inoculation of guinea-pig kills in two to five days, with hemorrhagic necrosis and edema at site of inoculation. The bacilli can be recognised microscopically and by culture near spot of inoculation, but blood and viscera give negative results. Disseminated parenchymatous degeneration of liver and kidneys.

The following is a tabular analysis of the cases, divided into two groups:—

Group A.—Cases evidently diphtheria.

Number of cases examined, 9. Result: Positive 8; Negative, 1.

No.	Name.	Sex.	Age	Service.	Course.	Result of Examination.	Remarks.
1	M. L.	F	21	M. G. Hospital.	Recovery	Typical.* Oidium also found.	Began as Ton- sillitis,
2	L. E.	M	2	Do.	Death.	Typical.	Nasal diphtheria. Bacilli in bit of membrane. None in nasal secretion.
3	Mrs, T.	F	28	Dr. England.	Recovery	Two celonies only.	
4	W. P.	M	16	M. G. Hospital.	Do.	No Læffler bacilli; abundant staphy- lococcus pyogenes aureus.	pearance of
5	L. M.	F	10	Dr. Major.	Do.	Only two colonies found. Oidium present	Marked diph- therial para- lysis.
6	F. P.	M	8	M. G. Hospital.	Do.	Typical.	
7	E. G.	F	10	Do.	Do.	Typical.	
8	L. P.	M	13	Do.	Do.	Typical.	
9	M. G.	F	4	Do.	Death.	Typical.	

<sup>\*</sup> In cases marked "typical" a large number of the virulent Loeffier bacılli were found.

Group B.—Anomalous cases.\*
Number of cases, 5. Result: Positive, 1; Negative, 4.

1	0. P.	F	20	M. G. Hospital.	Recovery	Negative.	Exudate confined to Ton-
2	C. W.	F	24	Do.	Do.	Negative.	Nasal diph- theria? Nasal voice, Local exam- ination un- satisfactory.
3	A. C.	M	1	Do.	Do.	Negative.	Local examination unsatisfactory.
5	W. J.	M	8	Do.	Do.	Negative.	Scarletina.
. 6	S.	M	8	Dr. Birkett.	Do.	Positive.	

 $<sup>^{\</sup>bullet}$  Cases 1, 2 and 3 of this series were placed in the diphtheria ward of the Montreal General Hospital. Several cases of follicular tonsillitis were also examined, always with negative results.