

WELLAND BATTERY.			QUEBEC BATTERY.		
Sergt. Doyle	7.43	25	Sergt. Marcheterre	8.09	31
Corp. Scheilly	13.15	26	Bdr. Berube	8.44	17
Gunner Cox	8.37	42	Corp. St. Pierre	7.12	20
Corp. Minor	9.35	26	Sergt. Major Bertrand	6.14	38
Sergt. Balfour	6.23	20	Corp. Berube	7.12	27
" Nelson	5.57	30	Q. M. Sergt. Hamel	9.00	32
Corp. Morley	9.40	30	Sergt. Cloutier	19
Sergt. Cornwall	7.49	28	" Moisan	9.46	16
Total		233	Total		200
HAMILTON BATTERY.			NEWCASTLE BATTERY.		
Sergt. Homer	8.13	38	Sergt. Shaughnessy	8.52	42
" Cox	6.17	37	" Loggie	8.33	37
" Camp	6.20	21	" Kethro	8.52	26
Corp. Noblett	9.25	34	" Matheson	8.10	23
Gunner Omand	8.40	28	Q. M. Sergt. Russell	7.55	38
Sergt. Major Wholson	10.00	30	Bdr. Williston	7.31	31
Sergt. Instructor Kerley	9.13	24	" Russell	8.12	29
Corp. New	9.39	32	Corp. Williston	8.05	24
Total		244	Total		250
TORONTO BATTERY.			WINNIPEG BATTERY.		
Corpl. Bryne	9.20	21	Sergt. Grack	6.09	24
Sgt. Carter	8.43	30	Sergt. Major Purdy	6.25	26
Sgt. Warrington	11.30	29	Corp. Bailey	9.15	14
Q. M. Sgt. Spry	9.29	23	Sergt. Bourke	5.35	18
Corpl. Taylor	9.00	35	" Bathir	7.30	10
Sgt. Maj. Woodman	6.27	31	Q. M. Sergt. Grierson	9.00	8
Gr. Martin	8.45	38	Corp. Gault	9.00	13
Corpl. Blair	10.10	28	Sergt. Roundthwaite	8.15	25
Total		241	Total		138
DURHAM BATTERY.			Only 7 competitors.		
Sgt. Maj. McMahon	8.49	34			
Bdr. Sharp	18.00	30			
Gr. Laurie	8.48	32			
S. Sgt. Hay	6.18	32			
Sgt. Hutcheson	6.24	35			
Corpl. Kenneally	8.35	35			
Sgt. Henderson	8.52	38			
Sgt. McCarthy	7.36	41			
Total		277			
GANANOQUE BATTERY.					
Sgt. Dodds	8.20	36			
Sgt. Aitkins	9.35	37			
Corpl. Simson	8.29	27			
Sgt. Maj. Lloyd	7.24	19			
Bdr. Breakinridge	9.16	13			
Gr. Cavanagh	16.40	27			
Bdr. Johnson	8.40	30			
Total		189			
OTTAWA BATTERY.					
Sergt. Major Ingram	8.23	27			
Sergt. Hood	7.32	12			
" Chattuck	10	24			
" Kennedy	8.30	21			
" Thompson	7.28	30			
" Mix	8.19	25			
Corp. Eldridge	7.34	30			
Gn. Gray	7.11	25			
Total		194			
MONTREAL BATTERY.					
Sergt. Porteous	8.06	14			
" Kendall	5.47	18			
Sergt. Major Walker	7.29	20			
Corp. Turton	6.51	19			
Bdr. Muirhead	9.30	27			
" Wilson	11.46	8			
Corp. Johnson	7.35	40			
Corp. Holbrook	8.07	29			
Total		175			
SHEFFORD BATTERY.					
Gr. J. Irwin	9.36	24			
Sergt. W. Seale	9.51	11			
" W. Williams	8.12	34			
Corp. W. Irwin	7.53	31			
" W. A. Purdy	7.59	18			
" W. Reid	7.42	32			
Sergt. A. C. Reid	6.48	21			
" J. H. Seale	7.47	35			
Total		206			

The Swedish authorities have been much pleased with a rifle-rest invented by a German manufacturer. Many efforts have been made of late years to improve the shooting of riflemen when firing in a prone position, without encumbering the weapon or impeding the movements of the marksman, but none of these inventions has as yet been free from serious defect, the rifle rests being either too heavy and cumbersome, considerably increasing the weight of the fire arm, or too flimsy and unreliable to stand the wear and tear of constant use. This rifle-rest has none of the above faults, as it is both light and solid; can be easily attached to any description of rifle, and used without interfering with the position of the shooter. The rest consists of an enamelled band of steel 12 inches in length, and $1\frac{1}{4}$ inch broad, or according to the width of the gun-sling in use to which it is attached, and by its employment the marksman, when in a prone position, can hold his weapon in immediate readiness and secure a perfect aim, even at moving objects, while the rifle never comes in contact with the ground. At the fore end of the iron band joining the rest, two blunt spikes project a quarter of an inch in length, and serve to prevent the rest from entering too far into wet or soft soil, while giving steadiness and a firm footing on hard or rocky ground. As the rest or crutch prevents any position of the weapon from coming in contact with the ground, it follows that neither mud nor snow can ever clog the muzzle, as frequently happens when men are firing in a recumbent position. The ingenious manner in which the rest is attached to the sling, where it lies quite close, flat and imperceptible, obviates any chance of its impeding the firer, even when he may have to suddenly change his position. The inside of the steel band joining the crutch is lined with leather, so that no friction can take place against the fore-end of the stock. The rest can be used with any description of military rifle, no matter whether the swivels are placed in front of the trigger-guard and magazine, or behind it on the stock of the gun. The invention has been patented in Germany and in England, and there is every prospect of its being adopted by the German Government, even if not taken up by the Swedish authorities.