SUPPLY-PUBLIC WORKS-Con.

Lefurgey, A. A. (Prince, P.E.I.)—1734.
What work has to be done?—1734.

McPherson's Cove-wharf, \$9,000-1735.

Barr, J. (Dufferin)-1735.

Is that by tender?-1735.

Hyman, Hon. Chas. S. (Minister of Public Works)—1735.

That is by tender; it is under contract at the present time. This is to complete—

Miminegash—extension of breakwater and cribwork revetment at inner end, \$4,000—1735.

Hyman, Hon. Chas. S. (Minister of Public Works)—1735.

This is an extension of the breakwater outward past a shoal—1735

Lefurgey, A. A. (Prince, P.E.I.)-1735.

Is it the policy of the department in all repairs to breakwaters and wharfs and buildings?—1735.

Martin, A. (Queen's, P.E.I.)-1735.

Will this sum put it in good repair?-1735.

New London—repairs to breakwaters, &c., \$3,500—1735.

Hyman, Hon. Chas. S. (Minister of Public Works)—1735.

Merely repairs to the existing wharf—1735. Yes, the original work—1736.

Martin, A. (Queen's P.E.I.)-1735.

This is a very important wharf on the north side, where harbours are not very numerous—1735. Was the work let by tender before?—1736.

Point Prim Island, P.E.I.-wharf, \$5,000-1736.

Hyman, Hon. Chas. S. (Minister of Public Works)—1736.

The fact that the item is in the estimates is proof that the government intend to go on with the work—1736. I do not want to begin a work that will cost \$30,000 when only \$5,000 are available—1737.

Ingram, A. B. (East Elgin)—1737.

Is it the intention of the department to go on with the work?—1737.

Maclean, W. F. (South York)-1736.

This matter has been before the House on three or four different ocasions—1736.

Martin, A. (Queen's P.E.I.) -- 1736.

This was in the estimates last year. Is it put here merely to figure up a large sum against the Island, or is the work to be proceded with?—1736. They should ask a larger vote—1737.

Prince Edward Island—public works, \$4,350—9585.

SUPPLY-PUBLIC WORKS-Con.

Hyman, Hon. Chas. S. (Minister of Public Works)—9585.

Has not had the report yet—9585. It is impossible to add anything to the estimates this year—9586.

Macdonald, E. M. (Pictou)-9586.

Is this one of the little places-9586.

Martin, A. (Queen's, P.E.I.) -9585.

The question of building wharfs at Mount Stewart, and Belle river—9585. The repairs of the wharf at Red Point are urgent —9586

Repairs to piers and breakwaters, P.E.I., \$6.000-1737.

Hyman, Hon. Charles S. (Minister of Public Works)—1737.

When we build any wharfs in Nova Scotia, the title is with the government—1737.

Martin, A. (Queen's, P.E.I.)-1737.

There are several works on the Island which require immediate attention—1737.

Repairs to piers and breakwaters, P.E.I.—creosoted timber, \$5,000—1737.

Hyman, Hon. Chas. S. (Acting Minister of Public Works)—1737.

This is to enable the department to buy a certain amount of creosoted timber—1737.

Ingram, A. B. (East Elgin)-1737.

Has any action been taken for the purchase of the material?--1737.

Richmond Bay, P.E.I.—reconstruction of wharf near Grand river ferry, \$5,000—1738.

Hyman, Hon. Chas. S. (Acting Minister of Public Works)—1738.

This is for the work of reconstruction and repairing—1738.

Rustico Harbour, P.E.I.—breakwater on Robinson's Island, south side of entrance to harbour, \$11,000—1738.

Hyman, Hon. Chas. S. (Acting Minister of Public Works)—1738.

We have no information in the department as to the cause of the accident—1738. I think the present intention is to do it by day's work—1739.

Ingram, A. B. (East Elgin)-1738.

There would appear to be two entrances to this harbour as there are two items—1738.

Lefurgey, A. A. (Queen's, P.E.I.)-1739.

If Hyman proposes to let that contract by tender?—1739.

Martin, A. (Queen's, P.E.I.)-1738.

Rustico Harbour is one of the most thickly settled parts of Prince Edward Island— 1738. I hope that this time not only will a contract be given, but that the work will be promptly advertised—1739.