Abdomen and underside whitish. Wings with a marginal line of brown lunules. Forewings with the basal, interior and exterior lines pale, blackish bordered; first and second undulating; third bent; orbicular and reniform marks partly pale-bordered, not distinct; costa with three pale points towards the tip; underside with a blackish discal mark and a blackish exterior line. Hindwings white, diffusedly cinereous-bordered; underside like that of the forewings. Length of the body 5 lines; of the wings 12 lines." Walker M.S.S.

2. C? velata, Walker M.S.S., N. Sp.-July.

" $F \alpha m$ . Ferruginea; abdomen subcarinatum; alæ cupreo subtinctæ; anticæ lineis quatuor indistinctis nigricantibus, 1 a 2 a que undulatis, 3 a 4 a que denticulatis, orbiculari et reniformi parvis, hac alba; posticæ cinereæ."

" Female. Ferruginous, cinercous beneath. Palpi obliquely ascending rising a little higher than the vertex; third joint lanceolate, less than half the length of the second. Abdomen slightly keeled. Wings with a slight cupreous tinge. Forewings with four indistinct blackish lines; first and second lines undulating; third and fourth denticulated; marginal line very indistinct; orbicular and reniform marks small, the former cinereous and indistinct, the latter white; underside with the usual discal mark and exterior line blackish. Hindwings cinereous. Length of the body 5 lines, of the wings 12 lines." Walker M.S.S.

## Family, NOCTUIDÆ, Guén.

(Cut-worms are larvæ of moths of this family.) Genus 1. AGROTIS, Ochs.

- 1. A. suffusa, W. Verz .- On treacle, beginning of October.
  - Distribution.—Philadelphia (E. Doubleday); Orillia, C. W., (Bush); St. Martin's Falls, Albany River, Hudson's Bay, (D. Barnston); Nova Scotia, (Redman), (Eu. and every part of the world).
- 2. A. spissa, Guén.-Common, July to September.

Distribution.—United States, (Doubleday); Nova Scotia, (Redman.)

- 3. A. jaculifera, Guén.—Common, July and August. Distribution.—New York, (B.M.C.)
- . A. venerabilis, Walker.—Common, sitting on blossoms of the Goldenrod by day in September.

Distribution .- Nova Scotia, (Redman.)

256