

radium applications the ulcer healed, and is still so at the time of writing, seven months after she was first seen.

Mr. M., of New Orleans, referred by Dr. Allen Baines, showed four typical rodent ulcers on the left cheek and one on the skin of the upper lip. They had been present for two years. He was given applications of a plaque of 500,000 activity, eight hours to each spot, extending over a period of two weeks. At the end of that time the radium crusts had formed.

Under date of November 29th, the patient writes from New Orleans: "It affords me much pleasure to advise you that all trace of the affection has vanished, not even the smallest trace of a scar can be seen."

Mrs. R., referred by Dr. W. P. Caven, had a small nodule on the left side of the nose. It appeared two years ago and had increased in size until it was three-eighths of an inch in diameter. It was not ulcerated. It had begun to pain a short time before. She had had no treatment of any kind. She was given a short application of a strongly active plaque, and on presenting herself six weeks later the nodule had quite disappeared.

Mrs. D., referred by Dr. J. Noble, rodent ulcer of the forehead; crust has formed, but is not yet detached.

Miss F., referred by Dr. Yeo, rodent ulcer at the tip of the nose, causing great disfigurement, which has completely healed, leaving no scar.

Mrs. C., referred by Dr. F. A. Clarkson, small rodent ulcer just below the eye, which quickly responded to treatment.

Mrs. M., referred by Dr. Barbour, of Burk's Falls, rodent ulcer of temporal region. Radium was used on two separate occasions and the ulcer is now quite healed.

*Epithelioma of the Lip.*—Two cases of superficial epitheliomata of the lip have responded splendidly to treatment. Other epitheliomata have been referred on which prolonged treatment will have to be carried out, and on which we hope to report more fully later. To mention a few:

Mrs. B., referred by Dr. S. M. Hay, for an epithelioma of