

- Cremaster muscle, 25, 60
 - action of, 92
 - overaction of, 57
- Crura of external abdominal ring, 8
- Crural canal, 54
- Cystitis after operation, 46
- DARN and stay-lace method, 37
- Debility, post-operative, 46
- Descent of testicle, 52
- Development of inguinal canal, 51
 - testicle, 51
- Difficulties of operation for hernia, 2
 - imperfectly descended testicle, 70
- ECTOPIA testis, 54
 - causes of, 55
- Ectopia vesicæ, with imperfectly descended testicle, 60
- Elevation of testicle, 93
- Epididymis, 51, 59
- Epididymo-orchitis and imperfectly descended testicle, 64
- Etiology of imperfectly descended testicle, 51, 52
 - inguinal hernia, 2
 - varicocele, 90
- Examination of an inguinal hernia, 12
- Excision of hernial sac, 30
 - varicocele, 91
- External oblique, 7
 - incision in, in operation for hernia, 24
 - imperfectly descended testicle, 74
- Extra-peritoneal tissue, 32
- FAILURE of operation for hernia, 19
 - imperfectly descended testicle, 71
- Fascia cremasteric, 78, 92
 - infundibuliform, 25, 78, 92
 - intercolumnar, 8, 92
 - transversalis, 5
- Fascial sheath of spermatic cord, 92
- Femoral canal, 54
 - hernial sacs, 1
- Fixity of testicle, post-operative, 93
- Funicular process, 1
- GANGRENE of testicle, 64
- Genital ridge, 51
- Germinal epithelium, 51
- Gridiron incision, 16, 39
- Gubernaculum, 51
 - attachments of, 55
 - division of, in orchidopexy, 77
- HÆMATURIA, 46
- Hæmostasis, 34
- Hernia, following abdominal operations, 15
 - inguinal, 1—49
 - acquired, 2
 - and military service, 42
 - bilateral, 2
 - congenital, 2
 - direct, 2