

140. *Anas discors*, Blue-winged Teal. M. m.c. A few may breed.
142. *Spatula clypeata*. Shoveller. Casual. A few were shot on the Rideau in the Fall of 1882; two were seen on the Ottawa in October, 1883, (both females), and two were shot by Mr. W. P. Lett in 1886, one at Richmond and the other at Brigham's Creek.
143. *Dafila acuta*, Pintail. M. r.
144. *Aix sponsa*, Wood Duck. S. c. B.
146. *Aythya americana*, Redhead. M. a.
147. " *vallisneria*, Canvas-back. M. r.
148. " *marila nearctica*, American Scaup Duck. M. m.c.
149. " *affinis*, Lesser Scaup Duck. M. c.
150. " *collaris*, Ring-necked Duck. M. c.
151. *Glaucionetta clangula americana*, American Golden-eye. W. r. Common in migration.
153. *Charitonetta albeola*, Buffle-head. M. c.
154. *Clangula hyemalis*, Old Squaw. M. c. A pair in full breeding plumage were obtained by Mr. E. White in the Spring of 1887 from a person who had just shot them on the Rideau.
160. *Somateria dresseri*, American Eider. Casual. A young male in the plumage of the female was shot by Mr. G. R. White on the Ottawa, below the City, 9th November, 1889. A male in mature plumage, said to have been shot on the Gatineau, was seen on the By Ward market about the same time.
163. *Oidemia americana*, American Scoter. M. c.
165. " *deglandi*, White-winged Scoter. M. c.
166. " *perspicillata*, Surf Scoter. M. r.
167. *Erismatura rubida*. Ruddy Duck. M. m.c. This species appeared in large numbers in the fall of 1882, arriving early and staying late.
- 169a. *Chen hyperborea nivalis*, Greater Snow Goose. M. r. On November 1st, 1884, Mr. S. Herring, the Taxidermist of the Geological and Natural History Survey, "put up" a bird of this species from a stubble field on the Ontario side of the Ottawa, and, although he did not secure it, is quite positive as to its identity. The late Dr. Van Cortlandt shot one just above the