

- Gossard, Ohio Bul. 164, p. 24, 1905.
 " Ohio Bul. 233, p. 146, 1911.
 Haldeman, Amer. Quart. Jour. Agric. Sci., Vol. IV, 8, pp. 300-301, 1846.
 " Trans. N. Y. St. Agric. Soc., Vol. VI, p. 373, 1846.
 Hamilton, Trans. Am. Ent. Soc., Vol. XXII, p. 364, 1895.
 Hitchings, Me. Ent. Rept. 5, p. 4, 1910.
 Hoffmeister, Ann. Rept. Iowa St. Hort. Soc., pp. 243-246, 1877.
 Hopkins, Ins. Life, Vol. III, pp. 19-20, 1890.
 " Bul. 15, W. Va. Agric. Exp. Sta., pp. 81-84, 1891.
 Le Baron, Prairie Farmer 22, Apl., Vol. 42, 1871.
 Lintner, Cultivator & Count. Gent. 1, Apl., p. 215, 1880.
 " 6th Rept. Inj. Other Ins. N. Y., 1890.
 " 10th Rept. Inj. Other. Ins. N. Y., 1895.
 Luger, Ann. Rept. Min. St. Hort. Soc., pp. 164-172, 1890.
 " Bul. 66, Min. Agric. Exp. Sta., pp. 85-331, 1899.
 Marten, Prairie Farmer 24, Dec., 1892.
 Nicholson, Okla. Bul. 69, p. 15, 1905.
 O'Kane, Inj. Ins., p. 244, 1914.
 Perkins, 4th Rept. Vermont Bd. Agric., pp. 128-139, 1877.
 Pettit, Mich. Agric. Exp. Sta. Spec. Bul. 24, 1904.
 Riley, Amer. Ent., Vol. II, p. 128, 1870.
 " Amer. Ent., Vol. III, (n. s. Vol. I), p. 107, 1880.
 Sanderson, Ins. Pests, p. 466, 1912.
 Saunders, Rept. Ent. Soc. Ont., pp. 7-17, 1873.
 Sherman, Bul. N. C. St. Bd. Agric., Vol. XXIV, No. 6, 1903.
 Slingerland & Crosby, Man. Fruit Ins., p. 332, 1912.
 Smith, Ins. Life, Vol. IV, pp. 27-30, 1891.
 " 22nd Ann. Rept. Ent. Soc. Ont., pp. 52-54, 1891.
 " Spec. Bul. N., N. J. Agric. Exp. Sta., Nov., pp. 4-8, 1891.
 " 13th Ann. Rept. N. J. Agric. Exp. Sta., 1892.
 " Ann. Rept. N. J. St. Bd. Agric., pp. 157-176, 1893.
 Somes, Mo. Fr. Exp. Sta. Bien. Rept., p. 15, 1913-1914.
 Walsh & Riley, Amer. Ent., Vol. II, 1869-1870.
 Washburn, 9th Rept. St. Ent. Minn., 1904.
 " Minn. Circ. 29, 1914.
 Webster, Bul. 45, Ohio Agric. Exp. Sta., pp. 151-217, 1893.
 " Ohio Farmer 3, May, p. 357, 1894.

This is the common red-necked cane-borer of blackberry, dewberry and raspberry. The egg is inserted in the bark near the base of a leaf in the new growth and the larva burrows upward in the sapwood going around the stem in a spiral course, thus girdling the cane and causing an irregular swelling or gall, varying from 1 to 3 inches in length, and bearing longitudinal slits or splittings.

A. lateralis Say.

- Chittenden, Bul. 22, n. s., U. S. D. A., Div. Ent., p. 68, 1900.
 On poplar sprouts (Blanchard). Beating *Alnus incana* (Frost).

A. otiosus Say.

- Blatchley, Col. Ind., p. 798, 1910. +
 Chittenden, Bul. 22, n. s., U. S. D. A., Div. Ent., p. 68, 1900.