

the night. On the following day, being very busy, and the labour having made no progress, he left her in charge of the midwife who was in attendance upon her. The pains were lingering, but not very severe. On the third day, she felt something "drop down suddenly inside her; and the child, the movements of which she had constantly felt up to that time, at once became cold as a stone." She was in great pain, and my father had attended her for a considerable period. She refused to allow any surgeon or physician to attend her, or to have any operation performed. She gradually improved in health, although she was very weak for a long time, and did not decrease in size for several years.

Upon examination, I found her much emaciated, with a hard bony tumour in the lower part of the abdomen, exactly resembling the foetal head. It could be easily moved from side to side; and, on careful manipulation, I believed that I felt the back part of the thorax in close approximation to it. She was evidently sinking from chronic renal disease; and, knowing that her end was approaching, had sent for me to request that I would make a *post mortem* examination. She had previously made a similar request to Mr. William Knott.

The story was corroborated by some of her neighbours, and by the rector of the parish, who had heard from my father a full report of the case. It was also stated, that at different times three little bones, "like finger-bones," had come away from her; but they had not been preserved.

On referring to old ledgers, I found the entry of the attendance on October 8th, 1822, in the handwriting of my grandfather, with the subsequent payment of the fee marked in my father's handwriting, and with his initials.

The woman died on January 13th, and the examination was made on the 15th by Mr. William Knott, in the presence of Mr. Knott, sen., Mr. Garlike, and myself. On making an incision through the abdominal parietes and opening the peritoneum, we immediately observed a hard white substance, which proved to be the vertex or foetal skull; and on enlarging the opening, a perfect foetus was extracted without difficulty. It was covered with plastic lymph; the limbs were flexed anteriorly on the body, and the head bent forwards to meet them, in the manner usually depicted in plates of the gravid uterus. It was attached by the umbilical cord to a vascular tumour of about the size of half an orange, which appeared to be the atrophied placenta, and which was connected by ligamentous attachment to the peritoneal covering of the broad ligament near the left ovary. One portion of this vascular tumour appeared to be a mass of unorganised lymph containing fluid. Neither