Terete, nearly cylindrical, having the transverse section nearly circular.

Terminal, at the end.

k."

iole

eed

rds.

une

ng.

or

11111

two

M-

ird,

are

ally

ith

Terrestrial, pertaining to the ground.

Tertiary quills, Tertiaries, the quill feathers of the upper arm. Thigh, the thigh of a bird is represented by the fewer or thighbone.

Throat, the throat of a bird is, really, divided into 2 regions: the upper or gula region, and the lower or jugulum.

Thumb, the small outer bone of the wing, also called bastard wing or alula "little wing."

Tibia, the inner leg bone (both tibia and fibula are usually spoken of together as the tibia in describing birds).

Tomi the cutting edges of the mandibles.

Totipalmate, fully or wholly webbed (not incised anywhere).

Trachea, the windpipe.

Transverse, erosswise, up and down.

Trifid, having three divisions or parts, divided into three parts. Trilobate, three lobed.

Truncate, cut or broken off at the top.

Tubercles, small wart-like raised surfaces on the skin.

Tubular, having the shape of a tube.

Tumid, rough and uneved, swelled out, (with skin soft.)

Turgid, rough and uneven, swelled out, (with skin hard.)

Typical, a Type, a specimen best illustrating any given group or series, or series of groups.

U.

Ulua, the outer of the two bones of the forearm.

Unquiculate, claw-like.

Unguis, the nail (applied to the bill and sometimes the elaw).

Upper tail coverts, upper wing creeks: the small feathers covering the base of the tail ving above; under tail coverts, under wing coverts, the same below.

V.

Vaulte arched (like the roof of the mouth).

Variable, furnished with little pits (like the extremity of a Snipe's bill).