18

30

31

31

31

31

31

31 31

31

31

32

32

32

328

32

323

320

327

328

329

330

331

332

333

334

335

336.

336

- 272. S. Canadensis, L. Kent County. Abundant beside fences. S. serotina, Ait. Restigouche. Mr. Hay.
- 273.
- gigantea, Ait. St. John County. 274.
- 275. S. lanceolata, L. Abundant in old moist fields and along river banks.
- 276
- INULA HELENIUM, L. Common Elecam pane. Roadside at Norton. Rare.

 Ambrosia artemisicofolia, L. Roman Wormwood. Hog-weed. Bitter-weed. 277. Waste places or fields. Rare.
- 278 Rudbeckia hirta, L. Cone-flower. A rough looking weed with large yellow rays and a brown centre in grass fields. Introduced with grass seed from the West, and found occasionally in different places. Restigouche, Kent, York, &c.
- 279. HELIANTHUS ANNUUS, I.. Common Sunflower. Common in gardens, but apparently not naturalized.
- 280. H. TUBEROSUS, L. The Jerusalem Artichoke is spontaneous about garden fences.
- 281. Bidens frondosa, L. Common Beggar-ticks. A very common coarse weed growing about dwellings and easily known by its seeds sticking by their barbed awns to the
- 282. B. cernua, L. Smaller Bur-Murigold. Common in ditches and wet places. August.
- 283. MARUTA COTULA, D.C. Common May-weed. Very common about roadsides near .dwellings. An scrid strong-scented herb.
- 284.ANTHEMIS ARVENSIS, I. Corn Chamomile. Resembles the above very much, but not ill-scented. Buctouche.
- 285. Achilles Millefolium, L. Common Yarrow or Milfoil. Abundant.
- 286. A. PTARMICA, L. Sneezeroot. Looks like a native at River Charlo, Restigouche; and at Kouchibouguae, Kent.
- 287. LEUCANTHEMUM VULGARE, i.am. Ox eye or White Daisy. White Weed. A very troublesome weed, covering whole fields with its fine large flowers. June-July.
- 2871. L. Parthenium, Godron, Fererfew. Gardens, scarcely wild.
- 288. TANACETUM VULGARE, L Common Tunsy. Near dwellings and often the only memorial of the gardens of the old settlers.
- 289. T. Huronense, Nutt. Restigouche at mouth of Upsalquitch. Shore of St. John River at Fredericton.
- 290. ARTEMISIA VULGARIS, L. Common Mugwort. Waste grounds near houses
- A. BIENNIS, Willd. Biennial Wormwood. Waste grounds in several localities. Kouchi-291.bouquac. Fairville, &c. apparently introduced and spreading rapidly.
- 292. ABSINTHY M, L. Common Wormwood. Escaped from gardens to roadsides. touche, &c.
- 293.
- GNAPHALIUM decurrens, Ives. Everlasting. Green Head, St. John Co. Rare. G. polycephalum, Michx. Common Everlasting. I have not found this plant, but there is a specimen in the University Herb. marked "abundant." 294.
- G. uliginosum, L. Low Cudweed. Common on roadsides in damp soil. 295.
- G. SYLVATICUM, L. Abundant at Campbellton, Restigouche; also found in woods at 296. River Charlo. Apparently native, but perhaps introduced.
- ANTENNARIA margaritacea, R. Brown. Pearly Everlasting. Very abundant about dry 297. fields and along fences. Aug.
- A. plantaginifolia, Hook. Plantain-leaved Everlasting. Sterile knolls and dry road-298 sides. May-June.
- 299. ERECHTHITES hieracifolia, Raf. Fireweed. Very common in recently burnt clearings. July-Aug.
- SENECIO JACOBAEUS, L. Common Ragwort. A coarse weed 2.3 feet high with stri-300. ated branched stem, large golden-yellow flowers. Spreading rapidly at Newcastle. Miramichi. At Pictou it has extended widely into the neighboring districts, and
- has, for many years, been a subject of county legislation.

 301. S. viscosus, L. Stinking Groundsel. May be known by its low much branched and spreading stems covered with viscid hairs and yielding a fetid odor. Spreading at Bathurst, Shediac, &c.
- S. VULGARIS, L. Common Groundsel. A weed in gardens and waste grounds. 302.
- Golden Ragwort. Squaw weed. A very variable plant. Abundant in S. aureus, L. 303.many places along the St. John, both in swamps and dry intervales. June.
- 304.
- ARNICA mollis, Hook. Arnica. Grand Falls of Neplsiquit. Rare.

 LENTAUREA NIGRA, L. Knapweed. Abundant in Restigouche and at Fredericton, in 305.grass fields or roadsides. July.
- Blessed Thistle. Bass River. Escaped from gardens. Some-306. CNICUS BENEDICTUS, L times cultivated under the name of Horehound, and used as such. Rare.
- 307. CIRSIUM LANCEGLATUM. Scop. Generally but wrongly called Scotch Thistle. Too common.