

*psittacina.*

4. *S. foliis brevibus superne coloratis venoso-reticulatis, ala ventrali sub un subcuneatim latescente, tubo sensim in appendice recurvata rotundatim fornicatam mucronatam desinente.* Mich. fl. amer. 1. p. 311.

*S. rubra.* Wali. fl. car. 152.

Icon. Pluk. amalh. t. 152. f. 3?

In swamps of Georgia and Florida. ♀. June, July.  
v. v. Flowers on very long peduncles, purple; leaves small, very handsomely marked with purple veins.

437. LEWISIA. *Pursh in linn. trans. v. 11.**rediviva.*1. *Lewisia. l. c.*

On the banks of Clark's river. ♀. July. v. s. in *Herb. Lewis.* Petals white; calyx elegantly red-veined, of a consistency like paper.

*Radix fusiformis, ramosa, sanguinea. Folia radicalia linearia, subcarnosa, obtusiuscula. Scapus uniflorus? an biflorus. Pedicellus basi geniculatus. Calyx coloratus, scariosus, 7—9-phyllus, patens: foliolis ovatis, acutis, concavis, nervoso-venosis, interioribus angustioribus. Petala 14—18. alba, lanceolata, patentia, calyce vix duplo longiora. Filamenta 14—18. receptaculo petalis opposite inserta, filiformia, calyce breviora. Antheræ oblongæ, erectæ. Germen superum, ovatum, glabrum. Stylus filiformis, staminibus paulo longior, superne trifidus. Stigmata 3. bifida. Capsula oblonga, 3-locularis: loculis bispermis. Semina lenticularia, nitida, nigra.*

This elegant plant would be a very desirable addition to the ornamental perennials, since, if once introduced, it would be easily kept and propagated, as the following circumstance will clearly prove. The specimen with roots taken out of the Herbarium of M. Lewis, Esq. was planted by Mr. M'Mahon of Philadelphia, and vegetated for more than one year: but some accident happening to it, I had not the pleasure of seeing it in flower.

438. NYMPHÆA. *Gen. pl. 886.**odorata.**Castalia. Salisb. in annals of bot. 2. p. 71.*

1. *N. foliis orbiculato-cordatis integerrimis subemarginatis, lobis divaricatis, acumine obtuso, petalis calyce 4-*