Abdomen nearly black above, with four lemon-yellow dots on the lower segments; beneath lemon-yellow. Legs black above, white beneath.

Upper side of fore wing transparent, with tawny, black and yellow markings. Costa black. Discoidal space transparent, with dusting of tawny scales towards the base, and a suggestion of a black spot near the centre. A heavy dusting of black scales extends from the costa downwards across the end of the discoidal space, suffusing to hind margin along the median nervure, and also along the first submedian nervule, somewhat tawny near the margin. Apical area black. Between the apical area and the band or dusting of black scales above noted, the space is transparent, heavily dusted with brown scales near the costa. The space below median nervure to the hind margin is black, with tawny scales along the nervure.

The upper side of hind wing has the same ground colouring. The upper half of the wing, including the discoidal space and its immediate surroundings, is transparent, the nervures and nervules being heavily dusted with lemon-yellow. The edges of this transparent area are black, the lower portion forming a band across the wing from the centre of inner margin nearly to the upper angle. This transparent area shows a tendency to extend downwards to hind margin in the first submedian interspace. Below this the area to hind margin is tawny. The hind margin has a generous black border, wavy on its basal edge.

The under side of both wings is the same as upper surfaces, the dusting of lemon-yellow scales being more marked. At the apex of the fore wing are four interspacial white spots, and in the black border of the hind margin of the lower wing is a series of prominent interspacial white spots.

Variations.—This species varies greatly in the density and suffusions of its markings. The transparent area of the lower wing in some specimens extends downwards to hind margin, cutting off the black band and the tawny area at the first submedian nervule. The white spots at apex of the under side of fore wing are at times entirely wanting.

Euselasia Howlandi, sp. nov.

Habitat : Suapure, Venezuela. Expanse, 1.12 inches.

Head and abdomen mouse colour. Palpi white, Thorax mouse colour above, with a few lighter hairs; beneath gray. Antennæ mouse