FAMILY SITTIDÆ. (NUTHATCHES.)

GENUS SITTA.

(727) White-breasted Nuthatch.

(Sitta carolinensis.)

A common resident. Breeds throughout its range in the Province, wherever there is heavy timber.

(728) Red-breasted Nuthatch.

(Sitta canadensis.)

A resident species, but most frequently observed during the migrations. In winter it is fairly common.

I once found a pair evidently breeding near Toronto, and it regularly breeds in the interior and northward.

SUBFAMILY PARINAS. (TITMICE.)

GENUS PARUS.

(735) Chickadee.

(Parus atricapillus.)

A very common resident and one of the most useful birds of the orchard.

Breeds throughout its range in the Province.

(*) (740) Hudsonian Chickadee.

(Parus hudsonicus.)

In southern Ontario this is only a very rare straggler from the north. As might be expected, it is more frequently seen in the Ottawa district than elsewhere.

Mr. Kay reports having seen a pair near Port Sydney, Muskoka, in November, 1892.

FAMILY SYLVIIDÆ. (KINGLETS, GNATCATCHERS, ETC.)

Bill slender, depressed at base, notched and decurved at tip. Rictus with bristles; nostrils oval. Tarsus usually booted, scutellate in Polioptilla. Basal joint of middle toe attached its whole length externally, half way internally.

Subfamily REGULINÆ. (Kinglets.)

GENUS REGULUS.

(748) Golden-crowned Kinglet.

(Regulus satrapa.)

An abundant migrant and common winter resident. Probably breeds in our northern forests, as it does in Massachusetts