Canadian Agriculturist,

AND

JOURNAL OF THE BOARD OF AGRICULTURE

OF UPPER CANADA.

VOL. XI.

TORONTO, JUNE, 1859.

No. 6.

THE SEASON.

We have had an unusually mild and early spring, resembling in many respects the ordinary characteristics of the season in the old country. Ploughing and farm work generally, commenced in March, that and the succeeding month being unprecedently mild and open, enabling farmers and gardeners to get in their crops early and in excellent condition. The season for transplanting trees, &c., in spring, is usually very short in Canada, but this year it has been extended to twice its ordinary length, and all such kinds of work have been done not only early but in good order, with the best prospects of success. The greater part of May, however, was in some parts of the Province very dry, so as to create fears for the Hay crop. And, as is not unfrequent in very early springs, considerable damage was done in some localities to the young fruitblossoms by the night frosts. This, however, appears to have been partial, and on the whole the prospect of the fruit, and particularly of the grain crops, was highly promising. A large breadth of early potatoes was sown in April and May, and the temperature being high they soon vegetated and attained to considerable growth. The high winds and cold rains the latter part of May, arrested the progress of vegetation. Friday and Saturday, the 3rd and 4th of June, were particularly cold, boisterous and unpleasant days, while during the night of the latter a frost occurred, which for suddenness and severity has not been equalled in the month of June for the last twenty years. Thermometers in several different situations, registered from 3 to 6 or 7 degrees of frost during that fearful night. The consequence was that all kinds of tender vegetation were completely cut down. Potatoes, Indian corn, tomatoes, &c., where sufficiently advanced above ground, were nothing but a blackened and shrivelled mass under the bright sky of the next day. Even the young currants were frozen and bleached, and the tender leaves of the ash, hickory, American creeper, and other shrubs were blackened. Tender flowers shared the same fate, as, we presume, must likewise the hop. So severe in some situations was the frost that cucumbers, &c., protected by matting, suffered considerably. The weather has since continued cold and ungenial, with night frosts of less severity. At the time we are writing, (June 13th) there are symptoms of a change, the temperature is rising, and showers are copiously falling.