Deltocephalus inimicus, Say.

Athysanus extrusus, Van Duzee. June 17th.

Athysanus curtisii, Fitch.

Phlepsius incisus, Van Duzee. July 29th.

Phlepsius humidus, Van Duzee. July 31st. Aylmer.

Ulopa canadensis, Van Duzee. Common. This was referred to in previous list as Ulopa n. sp. It has since been described from specimens taken at Ottawa and Ridgeway, Ont. (Trans. Am. Ent. Soc. Vol. XIX, page 301). It is quite common in moss collected late in the fall and I have also taken it in the spring. No individuals have been observed with fully developed wings.

REPORT ON ORNITHOLOGY, 1893.

To the Council of the Ottawa Field-Naturalists' Club:

The Leaders in Ornithology beg to report as follows:-

The birds of this district have been under observation for so many years that any additions to the recorded list must almost of necessity be regarded as merely casual or accidental visitors. Of this character are the first two records which follow—

Brunnick's Murre, (Uria lonivia). A flock of 20 seen by Mr. G. R. White on the 20th of November on the Ottawa River near the city, out of which 5 were secured. They were identified by Mr. Robert Ridgeway of the U. S. National Museum. Reference has already been made to these in the "NATURALIST" for January 1894, p. 164.

Chewick, towhee, (Pipilo erythrophthalmus). One seen by Messrs. F. A. and A. P. Saunders 19th July, about 80 miles north of Ottawa near the Desert. This bird was certainly a long distance from its usual habitat, and the observers being without a gun at the time were unable to "collect" it; but both of them are familiar with the species in western Ontario, and they are positive of the identification in this instance not only by sight but by call-note.

Holboell's Grebe, (Colymbus holboellii). There are but three previous records of this species here. On 6th September Dr. E. S. Wiggins shot one out of a flock of 5 or 6 on Shirley's Bay, Ottawa River.