

which is as wide as its median length. Pronotum broad and short, scarcely longer than vertex. Elytra broad, only slightly longer than the abdomen.

Colour: Vertex pale yellow, a pair of large, nearly quadrangular black spots on the margin just outside the ocelli, a still larger one on the apex, triangularly forking posteriorly, and two small round ones on the posterior margin equidistant from the median line and the eyes. Face pale, with the sutures black-lined, those around the loræ heavily so; a pair of black spots above the antennæ. Front smoky, set off from vertex by an arcuated black line, the median line pale, triangularly widening below, with about nine pale arcs on each side. Pronotum pale green, the anterior margin lighter, submargin sometimes with faint dusky spots. Scutellum pale powdery green. Elytra pale green, heavily powdered with white. Venation obscure.

Genitalia: Female segment as long as broad, slightly narrowing to the truncate apex; lateral margin depressed, a black line on the posterior margin, sometimes reduced to two spots. Male valve broad and short, bluntly angular, plates together, broadly triangular, their apices broadly, slightly roundly, truncate, scarcely exceeding the broad swollen pygofer.

Described from eight examples from Beaumont, California, collected by the author. A large and readily recognized species.

*Thamnotettix Titusi*, n. sp.

Size and form of *melanogaster* nearly. Slender, parallel, vertex right-angled. Green, with the face and tip of elytra smoky. Length, ♀, 5.5 mm.; ♂, 5 mm.

Vertex one-half wider than long, right-angled in front, the disc flat or transversely depressed, roundly angled with the front. Front much narrower than in *atridorsum*, wider and more nearly parallel margined than in *melanogaster*, distinctly longer than wide. Elytra long, narrow, inclined to be flaring at the tips, giving the insect a parallel-margined appearance. Venation simple.

Colour: Vertex pale straw, inclined to be greenish at base, and smoky or tawny at tip. The smoky front is visible from above on either side the apex of vertex, and often there are a pair of oblique spots at the base. Face pale, the front smoky, growing darker above, with numerous pale arcs. Pronotum green, rarely with dark spots on the submargin. Scutellum pale, sometimes a pair of small black spots at base. Elytra