## AND SIMILAR PREPARATIONS-Continued.

-

11s ... et al ...

al

vre u-

al

Directions for use, as found on the Label.	RESULTS OF ANALYSIS.							
	Weight of Contents of one Powder.		Acetani- lide= anti- febrin.	Phen- acetin.	Phena- zone= anti- pyrine.	Caffeine	Car- bonate of Soda.	Remarks.
	Grns.	Grms.						
and nervous headache and neuralgia, also a cure in cases of sudden cold with fever; direc- tions inside.								powders are unsurpass ed and their soothin qualities are also esp cially indicated i cases of sleeplessness
Directions—For adults, place the powder on the tongue and swallow with adraught of water; if not relieved in half an hour, take another powder; do not repeat again for four hours.		1.04	Present.	Present.	None	Doubt- ful.	None	nervousness, &c. These powders do no contain any opium morphia, quinine, bre mide or any narcotic
Directions regarding use- For ordinary headache, arising from a disorder- ed condition of the stomach or from bilous- ness, constipation, &c., one (1) wafer should be taken, and repeated in from twenty (20) to thirty (30) minutes if necessary; for neural- gia, rheumatic or men- strual pains, one (1) every two (2) or three (3) hours as required; for sleeplessness or ner- try ousness, one (1) on re- tring, to be repeated in one (1) hour if sleep is not produced.		1.30				Present.		
Directions—Place a pow- der on the tongue and swallow with a draught of water. If not re- lieved in half an hour take another. Price 75c. J. R. Bond, chemist and draggist, 453 Yonge St., opp. Bank of Com- merce, Telephone North 350, Toronto.		0.65	None	Present.	None	Present.	None	

19