

Tent Caterpillar, *Clisiocampa sylvatica*. There were millions upon millions of them, and so enormous were their numbers, and so persistent their attacks, that after fighting them bravely for a week or two, many gave up the contest in despair, weary of the slaughter. Many an orchard was rendered bare and leafless, and in some instances the woods were so void of foliage as to remind one of winter. This was particularly the case about London, and our orchards and gardens here were saved from destruction only by the most persistent effort. For several weeks caterpillars were swarming everywhere, so that the timid scarcely dared venture out under the shade of trees for fear of bringing them home on their clothing or persons. By the end of June they had nearly all become chrysalids, and it was interesting to observe the strange looking deformities they occasioned among ornamental shrubs and flowers by twisting the leaves into suitable forms in which to enclose their cocoons. On the trees the few fragments of leaves remaining were put to a similar purpose, and thus sewed up and hanging pendant with the weight of sometimes two or three cocoons huddled together, they looked very odd.

On examining a number of these chrysalids, a large proportion of them were found to be infested with parasites, which materially lessens the chances of their being so very numerous again next year; still we fear that enough of them passed safely through all their preparatory stages to give us some trouble another season.

The Cabbage Butterfly, *Pieris rapæ*, is still progressing westward. This year it has extended its domain as far as Chicago, where a few of the advance guard have been captured. In the neighborhood of London their larvæ have been very destructive this summer, so disfiguring and destroying the cabbages in many instances as to render them entirely worthless. The history of the introduction of this pretty little pest forms an interesting chapter in our Entomological annals. During the time of the Trent difficulty in 1861 a quantity of fresh vegetables were sent along with other stores to Quebec for the sustenance of the gallant little army which was despatched to our shores. As the Cabbage Butterfly is said to have made its appearance shortly after this period, it is presumed that it was accidentally introduced with the stores for the troops. In 1863 specimens were sent to us from this district for determination, which was the first intimation we had of their existence in this country. By 1866 the butterfly had spread further west than Montreal, and east as far as the Saguenay River. In 1869 it was reported as common in New Jersey, and