

*Andrena subaustralis*, Ckll., CAN. ENT., XXX., 1898, p. 146.

♀, 7th May, 1898, Corvallis, Or. (Cordley); 20th April, 7th, 24th May, Livingston, Vanc.

♂, 2nd June, 1899, Corvallis, Or. (Cordley); 4th May, 1897, Pullman, Wash. (C. V. Piper); 17th, 20th, 24th April, 8th May, 1896, Livingston, Vanc.

*Andrena indotata*, n. sp.

♀ 10 mm. Easily distinguished by the characters given in the key to species.

Type locality: Washington. Type Am. Ent. Soc., Phila.

*Andrena Halli*, Dunn, CAN. ENT., XXX., 1898, p. 268.

♀, Pullman, Wash. (C. V. Piper).

*Andrena solidula*, n. sp.

13 mm. Fovea and thorax with brown hair.

Type locality: Pullman, Washington. Type Univ. Nebraska.

♀, Pullman, Wash. (C. V. Piper).

*Andrena junonia*, n. sp.

This may be *solidula* altered by Stylops.

Type locality: Pullman, Wash. Type Univ., Nebraska.

♀, May, 1895, Pullman, Wash. (C. V. Piper).

*Andrena compactiscopa*, n. sp.

Size of *solidula*.

Type locality: Pullman, Washington. Type Univ. Nebraska. Pullman, Wash. (C. V. Piper).

*Andrena vicina*, Sm. Brit. Mus. Cat. Hym., I., 112.

♀, 14th June, 1902, Vancouver, B. C. (Harvey); ♀, 4th June, 1895, Seattle, Wash.

♀ ♀, 4th May, 1898; 18th May, 6th June, 1897, Corvallis, Or. (Cordley); ♂, 5th June, 1895, Olympia, Wash. (Kincaid); 15th April, 1894, Seattle, Wash.

*Andrena Carlini*, Ckll., CAN. ENT., XXXIII., 1901, p. 150.

♀, 12th June, 1903, Vernon, B. C.; 3rd, 4th June, 1899, Corvallis, Or. (Cordley).

♂, 2nd April, 1895, on gooseberry, Seattle, Wash. (T. Kincaid).

*Andrena neurona*, n. sp.

♀ 12 mm.

Type locality: Seattle, Washington. Type Am. Ent. Soc., Phila.

♀, 17th April, 1896, Seattle, Wash. (T. Kincaid); 2nd May, 1903, Vernon, B. C. (Venables).