### THE VETERINARIAN.

THE LIVER-FLUGE

As it would seem that there are still some unacquainted with the teaching of science upon one pastoral enemy—i. e., the rot fluke, coathe, or bane—perhaps you will allow mo to state in a few lines what Mr. A. P. Thomas (Balliol College, Oxford) has, after a series of experiments lasting through more than two years, ascortained, and has published in the Quarterly Journal of Microscopical Science for January, 1883, and in the Royal Agricultural Society of England's Journal, June, 1880, and June, 1883. It is impossible to exaggerate the importance, to every one connected with sheep and sheep farms, of studying this brief story. It is as interesting as a fairy tale, and has more startling transformations than any Christmas pantomine.

Flukes have been known to be found in cattle, horses, pigs, rabbits, hares, kangaroos, camels, and even in man himself. In every case in which flukes find an entrance at all, they enter in one way. That animal (in man's case, probably by eating watercresses without washing in salt and water) has swallowed with its food certain small bags, which in certain seasons are found attached to the herbage, which are called cysts. These cysts are in some seasons frightfully common, and found over a wide tract, but in ordinary seasons they occur only in low, marshy spots. These cysts are somewhat similar to the pupæ or chrysalides in which some insects lie for a while dormant. But the fluke-cysts cannot emerge of their own action; they must perish in a few weeks unless some warm-blooded animal swallows them. If this occurs, a wonderful series of development begins. The tiny germ expands in the cyst as soon as it is swallowed, and becomes the loathsome fluke above an inch long, whose ugly features have become known to so many farmers of late years. It is not unlike a small sole, and is even more prolific of eggs. (It is estimated that one fluke may give rise to 500,000 eggs.) These eggs, produced in myriads, pass from the discased animal with the dung. If this falls on dry ground and drought follows, the eggs perish. If it falls in a moist spot, and water is near, and the thermometer stands over 60°, the egg hatches into an embryo in a few days, which, invisible to the naked eye, may be seen under the microscope, darting to and fro in water with incredible rapidity. Its activity is not purposeless, for its whole object is to come into contact with a special kind of snail which seems to be predestined to become its nurse and victim. As soon as the embryo touches this snail it commences to bore through its shell, and, succeeding in this, penetrates the snail,

and the second change takes place. The active embryo becomes a motionless sporocyst—a long word, which means bag of germs. This bag may either subdivide into two or more bags, each complete, and capable of reproduction; or it may at once, within the helpless smal, send forth redia. These redia (numed after an Italian anatomist, Redi) are organisations capable of moving, which the sporocyst is not Moving about within the snail, and supported by its juices, the redice give vent to tailed creatures called cerearise, which resemble minute tadpoles. These wriggle out of the wretched smail's flesh either after it succumbs to their attacks, or whilst it still lives, and by help of the tail, move among the herbage, until they find a suitable stem to which the cercarice attach themselves. Then the tail drops off, and each cercaria, forming a cover for itself, becomes a cyst and is ready for the next victim to swallow, and so to begin the round anew.

It will be seen, in this wonderful narrative, that the fluke egg gives birth to something quite unlike its parent, which never does become like it, nor lives where it lived. There has to be the intermediate host (the snail known as Limmeus truncatulus), and the final host (the warmblooded animal) before this kind of flatworm (known as Fasciola hepatica) can run its career. A snail cannot take the infection directly from another snail, nor a sheep from another sheep; nor can smail and sheep suffice to spread the vermin without wet and warmth. Only in a small part of each year can the mischief

be extended.

## Advertisements.



#### FOR SALE.

A very fine Thoroughbred Short Horn Bull, in prime condition. Apply at Lucyfield Farm, or to Prof. LAWSON, Halifax.

# DOMINION EXHIBITION, 1883,

ST. JOHN, NEW BRUNSWICK.

Opening 2nd October, 1883.

A RRANGEMENTS having been made by the Provincial Government of Nova Scotia to definy the expense of transit of all approved Live Stock and other Exhibits from Nova Scotias of ar as the same is not met by the New Brunswick Government, Notice is Hereby Given that persons desirous of exhibiting on such terms are required to send to Prof. Lawson, Halifax, NOT LATER THAN 15th AUGUST, a list of their proposed Exhibits, in order that the same may be examined by Members of the Control Board of Agriculture, with a view to approval and sanction. Intending Exhibitors will state whether any, and, if so, what portion of their Exhibits will be shown previously at the Provincial Exhibition at Truro.

Animals and other Exhibits not approved of and sanctioned by the Board will not be carried at the Government expense.

The decisions of the Board will be made known as early as possible, and in time to enable Exhibitors to make their entries with Mr. Inches, the Secretary, in St. John, by 15th September, in accordance with Rule 5 of Lominion Exhibition Regulations. The Nova Scotia Government and Board assume no responsibility beyond assisting in defraying expense of carriage and facilitating the transit of Exhibits, Exhibitors being required to take the necessary charge of their own animals and other exhibits as usual.

By order of the Board of Agriculture of Nova Scotia.

GEORGE LAWSON, Secretary.

GEORGE LAWSON, Secretary.

## NORMAN PERCHERON STALLION "FRENCH REPUBLIC."

imported from France to Chicago, in September, 1875, when 4 years old, and was purchased by the Hon. Mr. Perley, for the sum of \$2,000, for the Goverament of New Brunswick. He weighs 1,650 lbs., is of grey color, and stands sixteen hands high. He will travel in the Counties of HAN'13 and KINGS during the season of 1883, for the service of Mares, and will stand at the following places, viz.:—Leaving the owner's stable at Newport on Monday, May 14th, at 8 o'clock; Summerville, Monday 14th, noon; Cheveric, evening of the 14th; Pembroke, 15th, noon; Tennycapo, evening 15th; Noel, 16th, noon; Upper Selmah, evening of the 16th; Five Mile River, 17th, noon; Haines' Corner, 17th, 5 o'clock, p. m.; Nine Mile River, at Capt. White's, evening of 17th and morning of 18th, till nie o'clock; East Rawdon, 18th, noon, Jas. Withrow's; Middle Rawdon, evening of 18th and morning of 19th, till 8 o'clock, John Casey's; arriving home on Saturday, 16th, noon; Sacroix, Monday, 21st, noon, Windsor, May 21st, p. m. and night, at or near Stephen Smith's; Upper Falmouth, May 22ud, noon; Hantsport, May 22nd, evening, Horton Landing, May 23rd, noon; evening of the 23rd at Greenwich; Gas penaux, May 24th.

Will be at the owner's stables every Saturday from noon until Monday morning at eight o'clock, through ut the season. Will visit the above places once a fortnight, in the same order, throughout the season.

Terms - Single \$6, Season \$3, Warrant \$12. For further particulars apply to the owner.

ALEX. COCHRAN,

S. B. Wheaton, Owner. THIS Full Blooded Norman Horse was

Groom Newport, May 21st, 1883.

jly

from all varieties of Poultry. Circu lars free. Send 10c. for New Book on Poultry. OAK LANE, Dwight, Mass

12mos pd apl 1883

Printed at the Office of the Nova Scotia Printing Company, corner of Sackville and Granville Streets, Halifax, N. S.