

Campoplex marginatus.—See *Limnerium*.

Campoplex minor. Type.—Female, yellow label 293. 2nd Coll. Pub. Mus., Quebec. Antennæ gone.

Campoplex niger. Type.—Female, yellow label 1220. 2nd Coll. Pub. Mus., Quebec. Badly broken.

Campoplex nigripes. Type.—Not in Pub. Mus., Quebec, unless under *C. laticinctus* Cress. Female, 2nd Coll., female 1st Coll.

Campoplex politus.—See *Exolytus*.

Campoplex scularius. Type.—Female, yellow label 1219. 2nd Coll. Pub. Mus., Quebec.

Campoplex semirufus. Type.—Female, yellow label 1024. 2nd Coll. Pub. Mus. Quebec. Antennæ, one at scape, the left at 3rd joint, middle tarsi at 2nd joint, right hind tarsus and last joint of left hind tarsus gone; abdomen broken off, stuck on pin below specimen. Allotype not located.

Campoplex unicolor.—See *Mesoleptus uniformis* Prov.

Campoplex vicinus. Type.—Female, yellow label 291. 2nd Coll. Pub. Mus., Quebec.

Campotera clavata. Type.—Not at present in Coll. Sent to Girault, June, 1911.

Capitonus rubriceps. Type.—Female, blue label 721(s), yellow label 1279. 2nd Coll. Pub. Mus., Quebec.

Capitonus rugosus. Type.—Female Cat. No. 21433 U.S. N.M. Lacks fore wings and antennæ. Male, allotype, blue label 606, yellow label 1255. 2nd Coll. Pub. Mus., Quebec. Lacks apex of left antenna.

Centeterus tuberculifrons. Type.—Female, yellow label 249. 1st Coll. Pub. Mus., Quebec. Some verdigris.

Cephus bicinctus.—See *Phyllæcus*.

Cephus interruptus. Type.—Female, yellow label 1542. 2nd Coll. Pub. Mus., Quebec. Head gone.

Ceratosoma rufus. Type.—Female, yellow label 377. 1st Coll. Pub. Mus., Quebec. Antennæ broken at apex.

Cerceris æqualis. Type.—Cat. No. 1974 U. S. N. M.

Ceropales minima. Type.—Male, blue label 124(s), yellow label 1420. 2nd Coll. Pub. Mus., Quebec.