

DEATHS.—Continued.

DISEASE.	Department.	Total.		REMARKS.
		Male.	Female.	
Brought forward		30	11	41
Septicæmia	S	1	1	2
Shock from Burns	S	1	1	2
“ from Scalds	S	1	1	2
Tubercular Adenitis	S	1	1	2
Aneurism	M	1	1	2
Anæmia, Pernicious	M	1	1	2
Carcinoma of Stomach	M	1	1	2
“ of Lung	M	1	1	2
“ of Liver	M	2	2	4
Cirrhosis of Liver	M	4	4	8
Cerebral Hemorrhage	M	2	2	4
Diphtheria	M	2	2	4
Enteritis, Infantile	M	10	13	23
Enteritis, Specific	M	2	2	4
Endocarditis	M	1	2	3
Gastro-Enteritis	M	5	2	7
Lympho-Sarcoma of Mediastinum	M	1	1	2
Leukæmia	M	1	1	2
Meningitis, Tubercular	M	3	3	6
Miliary Tuberculosis	M	1	1	2
Myelitis of Cord	M	1	1	2
Nephritis, Acute	M	1	1	2
“ Chronic	M	1	1	2
Poisoning, Morphia	M	1	1	2
Pulmonary Tuberculosis	M	3	6	9
Pneumonia	M	14	5	19
Peritonitis	M	1	1	2
“ Tubercular	M	1	1	2
“ Idiopathic	M	1	1	2
Pericarditis, with Effusion	M	1	1	2
Scarlet Fever	M	11	12	23
Septicæmia	M	1	3	4
Sclerosis of Cord	M	1	1	2

From gangrenous Hæmorrhoids.
Associated with Delirium Tremens.
Infant 20 months old.
No autopsy allowed.

Arch of Aorta involved.
One died after three days.

One died within 24 hours.

All died within 24 hours.
8 died within 24 hours; 7 within 48 hours.

Patient aged 80.
Tumor weighed fourteen pounds.

Ages ranged from 4, 5, 7, 10, 34, and 66.

Following Stomatitis.

Patient died within six hours of admittance.

Ages ranging from 22 to 56; 8 over 50.

Died within six hours. No point of infection found.
Patient died after aspiration.
Ages ranged from 6 months to 9 years; 15 under 6.
One from retained Placenta.

Tuberculosis, General. M 1 1
Typhoid Fever. M 1 1