

PAGE		PAGE
173	Bog Manganese,	214
178	BONAVENTURE FORMATION, at Bathurst,	57, 59
174	— on Long Creek; on the Kennebecasis,	59
174	— life during,	60
175	— absence of coal in,	60
176	Boulders, distribution of in the Province,	183
177	— how transported,	184
177	— how formed,	184
177	— the country of,	185
233	— great magnitude of, on the Labrador Peninsula,	186
233	Brunswick Antimony Company, their antimony deposits in Prince William,	xiii
245	— description of their works,	172, 176
212	Brooke, Rev. Dr., meteorological tables of,	251
116	C	
117	Caledonia Shales. See Albert Shales.	
181	CARBONIFEROUS SERIES, LOWER, its distribution in New Brunswick,	57
171	— general absence of Coal in,	61
xvii	— of Russia; Ireland,	61
48	— comparative table of,	67
87	— section of, from Douglas Hills,	78
45	— distribution of, in the valleys of the	
41, 47	— Kennebecasis and Petitcodiac,	79, 80
47	Carboniferous Period, life during,	82
48	— climate of,	83
78	Carboniferous Basin, character of the,	27
93	— remarkably level areas in,	27
ix	CARBONIFEROUS SERIES, the,	54
96	— in North-eastern America,	54
57	— distribution of, in New Brunswick,	55
57	— the Tobique Outlier,	55
58	— of the Bay of Fundy,	55
141	— on the Restigouche,	55
151	— escarpment at the Western termination of the	
201	— Central area,	55
x	— the Central Triangular area,	68
101	— division of the rocks of the,	71
101	— review of, in the Province,	81
124	Chalcurs, Bay of, (Sea of Fish,) character of,	33
24	Chignecto, called also Chiniotou by the Jesuits in 1612, also Baie des Genes,	38
214	Climate, notes on, of New Brunswick,	245
	— of winter season,	245
	— at St. John,	248
	— at Fredericton,	251
	Clay for bricks and pottery,	217
	Clays, list of fossils in. See Appendix.	
	Coast Line, the,	38