

CAL. & COR. ut in Flore hermaphrodito, sed $\frac{1}{2}$ majores.

STAM. ut in Flore hermaphrodito.

PIST. Germen nullum. Stigmatum quinque rudimenta parva e medio Nectarii orta.

Arbor inelegans ramosa, cortice subfusco truncus tegitur; folia habet alterna pedicellata integra oblonga venosa glabra
 seyminata, margine undulato, fices, laurina, ad extremitatem ramulorum congesta; pedicellis utrinque tumidis vel gangli-
 onosis.

APPENDIX to VOL. I.]

TERMINALIA

ACER

MINOSA

Catappa
Pseudo-Platanus

rubrum

sejativa

Jamaicana

nitida

Labbeck

Senegal

FRAXINUS

CERATORIA

FICUS

Ornus

Siliquis

Carica

CYCAS

PHOENIX

circinalis

dactylifera

onofia. Racemi compositi breves, plerumque e ramis majoribus orti. Corolla lutea, laciniae stria tribus purpureis in-
 tus notatae; odor valde ingratus. A Nigritus in Jamaica vocatur Bichy vel Colu, et ibi semina per se vel cum Sale et
 Capfico commista ad dolores ventriculi pro remedio habentur.

HORTUS EASTENSIS.

Sycamore tree East Indies
 Red Maple Britain
 Sensitive Plant Virginia
 Sweet-scented Mimosa Brazil
 Gum Arabic tree East-Indies
 Egyptian Sensitive Egypt
 Gum Senegal tree Egypt
 Arabia

D I O E C I A.

Manna Ash Calabria
 T R I O E C I A.
 St. John's-bread Sicily
 Fig-Tree South of Europe

P A L M Æ.

Sago Palm East-Indies
 Date Palm-Tree Levant

Dr. Tho. Clarke, 1790

H. East, esq. 1787

H. East, esq. 1790

H. East, esq. 1788

Dr. Tho. Clarke, 1775

Lord Rodney, 1782

Tho. Hibbert, Esq. 1787

Dr. Tho. Clarke, 1775

Dr. Tho. Clarke, 1775

Dr. Tho. Clarke, 1775